

Patient NAME : Mr Dummy	Report STATUS : Final Report
DOB/Age/Gender : 34 Y/Male	Barcode NO : RL04618349
Patient ID / UHID : 13744263/OF13744263	Sample Type : Whole blood EDTA
Referred BY : Self	Report Date : Sep 03, 2025, 02:20 PM.
Sample Collected : Sep 01, 2025, 07:06 PM.	

## #Heavy Metals by Blood, 22 Parameters

Test Name	Results	Units	Biological Ref. Range
Arsenic Method:ICPMS	3.45	µg/L	<5
Cadmium Method:ICPMS	0.65	µg/L	<1.5
Mercury Method:ICPMS	0.62	µg/L	<5
Lead Method:ICPMS	<b>253.46</b>	µg/L	<150
Chromium Method:ICPMS	1.46	µg/L	<30
Barium Method:ICPMS	0.6	µg/L	<30
Cobalt Method:ICPMS	0.5	µg/L	0.10-1.50
Caesium Method:ICPMS	1.23	µg/L	<5
Thallium Method:ICPMS	0.03	µg/L	<1
Uranium Method:ICPMS	0.05	µg/L	<1
Strontium Method:ICPMS	22.73	µg/L	8-38
Antimony Method:ICPMS	3.41	µg/L	0.10-18
Tin Method:ICPMS	0.65	µg/L	<2
Molybdenum Method:ICPMS	1.45	µg/L	0.70-4.0
Silver Method:ICPMS	1.13	µg/L	<4
Vanadium Method:ICPMS	0.52	µg/L	<0.8
Beryllium Method:ICPMS	<b>0.05</b>	µg/L	0.10-0.80
Bismuth Method:ICPMS	0.37	µg/L	0.10-0.80
Selenium. Method:ICPMS	151.45	µg/L	60-340

Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301



Patient NAME : Mr Dummy	Report STATUS : Final Report
DOB/Age/Gender : 34 Y/Male	Barcode NO : RL04618349
Patient ID / UHID : 13744263/OF13744263	Sample Type : Whole blood EDTA
Referred BY : Self	Report Date : Sep 03, 2025, 02:20 PM.
Sample Collected : Sep 01, 2025, 07:06 PM.	

Aluminium Method:ICPMS	8.38	µg/L	<30
Nickel Method:ICPMS	3.91	µg/L	<15
Manganese Method:ICPMS	9.26	µg/L	7.10-20

**Method :** ICP - MASS SPECTROMETRY

**Note:**Reference range has been obtained after considering 95% population as cutoff

NOTE- \*\*This test is processed at Redcliffe's partnered lab.

\*\*\* End Of Report \*\*\*

Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301



# Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.