

Patient NAME : Mr Dummy
 DOB/Age/Gender : 34 Y/Male
 Patient ID / UHID : 14472692/OF14472692
 Referred BY : Self
 Sample Collected : Nov 08, 2025, 04:24 PM

Report STATUS : Final Report
 Barcode NO : RL06558890
 Sample Type : FLUORIDE F
 Report Date : Nov 08, 2025, 04:36 PM.



Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

HOMA-IR

Glucose Fasting

Glucose Fasting <i>Hexokinase</i>	78	mg/dL	70 - 100
--------------------------------------	----	-------	----------

Interpretation:

Status	Fasting plasma glucose in mg/dL
Normal	70 - 100
Impaired fasting glucose	101 - 125
Diabetes	≥126

Reference : American Diabetes Association

Comment :

Blood glucose determinations in commonly used as an aid in the diagnosis and treatment of diabetes. Elevated glucose levels (hyperglycemia) may also occur with pancreatic neoplasm, hyperthyroidism, and adrenal cortical hyper function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy insulinoma, or various liver diseases.

Note

- 1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL or a random / 2 hour plasma glucose value of > or = 200 mg/dL with symptoms of diabetes mellitus.
- 2.Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis.



Dr. Poulami Sarkar
 MBBS,MD (Biochemistry)
 Consultant Biochemist
 NMC Certificate No. 24-005955



Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME : Mr Dummy	Report STATUS : Final Report		
DOB/Age/Gender : 34 Y/Male	Barcode NO : RL06558915		
Patient ID / UHID : 14472692/OF14472692	Sample Type : Serum		
Referred BY : Self	Report Date : Nov 08, 2025, 04:36 PM.		
Sample Collected : Nov 08, 2025, 04:24 PM			

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Insulin Fasting

Insulin (Fasting) CMIA	23	μU/mL	<25.0
---------------------------	----	-------	-------

Interpretation:

Note

1. A single random blood sample for insulin may provide insufficient information due to wide variation in the time responses of insulin levels and blood glucose.
2. Stimulation of insulin secretion may be caused by many factors like hyperglycemia, glucagon, amino acids, growth hormone and catecholamines.
3. Interference in insulin assay is seen due to insulin antibodies which develop in patients treated with bovine or porcine insulin.

Clinical Utility

- Evaluation of fasting hypoglycemia
- Evaluation of Polycystic Ovary syndrome
- Classification of Diabetes mellitus
- Predict Diabetes mellitus
- Assessment of Beta cell activity
- Select optimal therapy for Diabetes
- Investigation of insulin resistance
- Predict the development of Coronary Artery Disease

Increased levels -

Insulinoma, Some Type II diabetic patients, Infantile hypoglycemia, Hyperinsulinism, Obesity, Cushing's syndrome, Oral contraceptives, Acromegaly, Hyperthyroidism

Decreased levels -

Untreated Type I Diabetes mellitus



Dr. Poulami Sarkar
MBBS,MD (Biochemistry)
Consultant Biochemist
NMC Certificate No. 24-005955



Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME : Mr Dummy	Report STATUS : Final Report
DOB/Age/Gender : 34 Y/Male	Barcode NO : RL06558915
Patient ID / UHID : 14472692/OF14472692	Sample Type : INSULIN F
Referred BY : Self	Report Date : Nov 08, 2025, 04:36 PM.
Sample Collected : Nov 08, 2025, 04:24 PM	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Beta Cell Function (%B)

Beta Cell Function (%B)	246	%	
-------------------------	-----	---	--

Interpretation:

- Beta cells are specialized cells in the pancreas that produce and release insulin. This hormone helps regulate blood sugar levels by facilitating glucose uptake into cells for energy or storage. Dysfunction of beta cells can lead to insufficient insulin production, resulting in elevated blood sugar levels and diabetes.
- The beta cell function (%B) blood test evaluates how beta cells function, produce, and release glucose in response to changes in blood sugar levels. It provides insight into the capacity of beta cells to regulate blood sugar and maintain glucose homeostasis.
- Beta cell function (%B) is calculated using mathematical models that assess the relationship between insulin secretion and blood glucose levels.

Insulin Sensitivity (%S)

Insulin Sensitivity (%S)	267	%	
--------------------------	-----	---	--

Interpretation:

- Insulin sensitivity refers to the body's ability to respond to insulin by taking glucose from the bloodstream and using it for energy or storage. High insulin sensitivity means the body requires lower insulin levels to maintain normal blood sugar levels. In contrast, low insulin sensitivity, also known as insulin resistance, means higher insulin levels are needed to achieve the same effect.
- The insulin sensitivity (%S) blood test evaluates how efficiently your body uses insulin to lower blood sugar levels. It is often ordered in individuals with suspected insulin resistance or metabolic syndrome, a cluster of conditions that increase the risk of heart disease, stroke, and type 2 diabetes.



Dr. Poulami Sarkar
MBBS, MD (Biochemistry)
Consultant Biochemist
NMC Certificate No. 24-005955



Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME : Mr Dummy	Report STATUS : Final Report
DOB/Age/Gender : 34 Y/Male	Barcode NO : RL06558915
Patient ID / UHID : 14472692/OF14472692	Sample Type : Serum
Referred BY : Self	Report Date : Nov 08, 2025, 04:36 PM.
Sample Collected : Nov 08, 2025, 04:24 PM	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

HOMA IR Index

HOMA IR Index <i>Calculated</i>	1.9		<2.5
------------------------------------	-----	--	------

*** End Of Report ***



Dr. Poulami Sarkar
MBBS,MD (Biochemistry)
Consultant Biochemist
NMC Certificate No. 24-005955



Booking Centre :- REDCLIFFE - ILC NOIDA

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.