

smart Health Report

An Insightful Health Analytics Report
for Easier Understanding



Prepared For

Mr Mr.Dummy

M 23

Name
Mr Mr.Dummy

Patient ID
8053238

Gender
M

Age
23

Health Summary



BLOOD COUNTS

Everything looks good



THYROID PROFILE

Everything looks good



LIPID PROFILE

Everything looks good



DIABETES MONITORING

Everything looks good



KIDNEY PROFILE

Everything looks good



LIVER PROFILE

Test Name	Result
Gamma Glutamyl Transferase (GGT)	56.2
Please Watchout	



ANEMIA STUDIES

Everything looks good



Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL-M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:11 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : HY532087	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Whole blood EDTA		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

One-Plus-One Smart Full Body Checkup

Complete Blood Count (CBC)

RBC Parameters			
Hemoglobin <i>colorimetric</i>	13.5	g/dL	13.0 - 17.0
RBC Count <i>Electrical impedance</i>	4.5	10 ⁶ /μl	4.5 - 5.5
PCV <i>Calculated</i>	40.2	%	40 - 50
MCV <i>Calculated</i>	95.2	fl	83 - 101
MCH <i>Calculated</i>	28.6	pg	27 - 32
MCHC <i>Calculated</i>	33.5	g/dL	31.5 - 34.5
RDW (CV) * <i>Calculated</i>	11.6	%	11.6 - 14.0
RDW-SD * <i>Calculated</i>	36.2	fl	35.1 - 43.9
WBC Parameters			
TLC <i>Electrical impedance and microscopy</i>	8.7	10 ³ /μl	4 - 10
Differential Leucocyte Count			
Neutrophils	55	%	40-80
Lymphocytes	40	%	20-40
Monocytes	3	%	2-10
Eosinophils	2	%	1-6
Basophils	0	%	<2
Absolute Leukocyte Counts <i>Calculated</i>			
Neutrophils.	3	10 ³ /μl	2 - 7
Lymphocytes.	2	10 ³ /μl	1 - 3
Monocytes.	0.3	10 ³ /μl	0.2 - 1.0
Eosinophils.	0.1	10 ³ /μl	0.02 - 0.5
Basophils.	0	10 ³ /μl	0.02 - 0.5
Platelet Parameters			
Platelet Count <i>Electrical impedance and microscopy</i>	150	10 ³ /μl	150 - 410
Mean Platelet Volume (MPV) * <i>Calculated</i>	9.3	fL	9.3 - 12.1
PCT * <i>Calculated</i>	0.19	%	0.17 - 0.32

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 <small>NABL-M(EL)T-00456</small>
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:11 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : HY532087	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Whole blood EDTA		

Test Description	Value(s)	Unit(s)	Reference Range
PDW * <i>Calculated</i>	9.3	fL	8.3 - 25.0
P-LCR * <i>Calculated</i>	19	%	18 - 50
P-LCC * <i>Calculated</i>	52	%	44 - 140
Mentzer Index * <i>Calculated</i>	21.16	%	-

Interpretation:

CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:11 PM
Patient ID / UHID : 8053238/RCL7247928	Barcode No : HY532087
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Whole blood EDTA	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Erythrocyte Sedimentation Rate (ESR)

ESR - Erythrocyte Sedimentation Rate MODIFIED WESTERGREN	9	mm/hr	0 - 10
---	---	-------	--------

Interpretation:
ESR is also known as Erythrocyte Sedimentation Rate. An ESR test is used to assess inflammation in the body. Many conditions can cause an abnormal ESR, so an ESR test is typically used with other tests to diagnose and monitor different diseases. An elevated ESR may occur in inflammatory conditions including infection, rheumatoid arthritis ,systemic vasculitis, anemia, multiple myeloma , etc. Low levels are typically seen in congestive heart failure, polycythemia ,sickle cell anemia, hypo fibrinogenemia , etc.

AGE	MALE	FEMALE
1 DAY	0-2	0-2
2 - 7 DAYS	0-4	0-4
8 - 14 DAYS	0-17	0-17
15 DAYS - 17 YEARS	0-20	0-20
18 - 50 YEARS	0-10	0-12
51- 60 YEARS	0-12	0-19
61 - 70 YEARS	0-14	0-20
71 - 100 YEARS	0-30	0-35

Reference- Dacie and lewis practical hematology

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:04 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533607	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : FLUORIDE F		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Glucose Fasting (BSF)

Glucose Fasting GOD-POD	98.6	mg/dL	70 - 100
----------------------------	------	-------	----------

Interpretation:

Status	Fasting plasma glucose in mg/dL
Normal	<100
Impaired fasting glucose	100 - 125
Diabetes	=>126

Reference : American Diabetes Association

Comment :

Blood glucose determinations in commonly used as an aid in the diagnosis and treatment of diabetes. Elevated glucose levels (hyperglycemia) may also occur with pancreatic neoplasm, hyperthyroidism, and adrenal cortical hyper function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy insulinoma, or various liver diseases.

Note

- 1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL or a random / 2 hour plasma glucose value of > or = 200 mg/dL with symptoms of diabetes mellitus.
- 2.Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffelife Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:03 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533608	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Serum		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Liver Function Test (LFT)

Bilirubin Total <i>Diazo with Sulphanilic acid</i>	0.8	mg/dL	0.2 - 1.2
Bilirubin Direct * <i>Diazonium</i>	0.2	mg/dL	0.0 - 0.5
Bilirubin Indirect * <i>Calculation (T Bil - D Bil)</i>	0.6	mg/dL	0.1 - 1.0
SGOT/AST <i>IFCC without P5P</i>	28.6	U/L	5 - 35
SGPT/ALT <i>IFCC without P5P</i>	32.1	U/L	5 - 45
SGOT/SGPT Ratio *	0.89	-	-
Alkaline Phosphatase <i>p-nitrophenyl Phosphate, AMP buffer</i>	56.2	U/L	20-130
Total Protein <i>Biuret</i>	7.1	g/dL	6.6 - 8.7
Albumin <i>BCG</i>	3.8	g/dL	3.8 - 5.0
Globulin * <i>Calculation (T.P - Albumin)</i>	3.3	g/dL	2.3 - 3.5
Albumin :Globulin Ratio * <i>Calculation (Albumin/Globulin)</i>	1.15	-	1.0 - 2.1
Gamma Glutamyl Transferase (GGT) * <i>Glupa C</i>	56.2	U/L	5 -40

Interpretation:

The liver filters and processes blood as it circulates through the body. It metabolizes nutrients, detoxifies harmful substances, makes blood clotting proteins, and performs many other vital functions. The cells in the liver contain proteins called enzymes that drive these chemical reactions. When liver cells are damaged or destroyed, the enzymes in the cells leak out into the blood, where they can be measured by blood tests Liver tests check the blood for two main liver enzymes. Aspartate aminotransferase (AST),SGOT: The AST enzyme is also found in muscles and many other tissues besides the liver. Alanine aminotransferase (ALT), SGPT: ALT is almost exclusively found in the liver. If ALT and AST are found together in elevated amounts in the blood, liver damage is most likely present. Alkaline Phosphatase and GGT: Another of the liver's key functions is the production of bile, which helps digest fat. Bile flows through the liver in a system of small tubes (ducts), and is eventually stored in the gallbladder, under the liver. When bile flow is slow or blocked, blood levels of certain liver enzymes rise: Alkaline phosphatase Gamma-utamyl transpeptidase (GGT) Liver tests may check for any or all of these enzymes in the blood. Alkaline phosphatase is by far the most commonly tested of the three. If alkaline phosphatase and GGT are elevated, a problem with bile flow is most likely present. Bile flow problems can be due to a problem in the liver, the gallbladder, or the tubes connecting them. Proteins are important building blocks of all cells and tissues. Proteins are necessary for your body's growth, development, and health. Blood contains two classes of protein, albumin and globulin. Albumin proteins keep fluid from leaking out of blood vessels. Globulin proteins play an important role in your immune system. Low total protein may

Indicate:

- 1.Bleeding
- 2.Liver disorder
- 3.Malnutrition
- 4.Agammaglobulinemia High Protein levels 'Hyperproteinemia: May be seen in dehydration due to inadequate water intake or to excessive water loss (eg, severe vomiting, diarrhea, Addison's disease and diabetic acidosis) or as a result of increased production of proteins Low albumin levels may be

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL-M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:03 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533608	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Serum		

Test Description	Value(s)	Unit(s)	Reference Range
Caused by: 1.A poor diet (malnutrition). 2.Kidney disease. 3.Liver disease. High albumin levels may be caused by: Severe dehydration.			

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
 MBBS, MD (Pathology)
 Consultant Pathologist




Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
 Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:03 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533608	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Serum		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Kidney Function Test (KFT)

Blood Urea <i>Urease-GLDH</i>	19.6	mg/dL	19 - 45
Creatinine <i>Enzymatic</i>	0.86	mg/dL	0.7 - 1.3
Bun * <i>Urease-GLDH</i>	9.16	mg/dL	8.9 - 21.0
Bun/Creatinine Ratio *	10.65		
Urea / Creatinine Ratio *	22.79		
Uric Acid <i>Urease-POD</i>	5.2	mg/dL	3.5 - 7.2
Calcium Serum <i>Arsenazo</i>	9.8	mg/dL	8.6 - 10.2
Phosphorus <i>UV Molybdate</i>	4.0	mg/dL	2.5 - 4.5
Sodium <i>ISE-direct</i>	136	mmol/L	136 - 145
Potassium <i>ISE-direct</i>	4.1	mmol/L	3.5 - 5.1
Chloride <i>ISE-Indirect</i>	98.2	mmol/L	98 - 107

Interpretation:

Kidney function tests is a collective term for a variety of individual tests and procedures that can be done to evaluate how well the kidneys are functioning. Many conditions can affect the ability of the kidneys to carry out their vital functions. Some lead to a rapid (acute) decline in kidney function others lead to a gradual (chronic) decline in function. Both result in a buildup of toxic waste substance on urine samples, as well as on blood samples. A number of symptoms may indicate a problem with your kidneys. These include : high blood pressure, blood in urine frequent urges to urinate, difficulty beginning urination, painful urination, swelling in the hands and feet due to a buildup of fluids in the body. A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys are not working properly. Kidney function tests can help determine the reason. Electrolytes (sodium, potassium, and chloride) are present in the human body and the balancing act of the electrolytes in our bodies is essential for normal function of our cells and organs. There has to be a balance. Ionized calcium this test if you have signs of kidney or parathyroid disease. The test may also be done to monitor progress and treatment of these diseases.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL-M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:03 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533608	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Serum		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Lipid Profile

Total Cholesterol <i>Enzymatic - Cholesterol Oxidase</i>	165	mg/dL	<200
Triglycerides <i>Colorimetric - Lip/Glycerol Kinase</i>	101	mg/dL	<150
HDL Cholesterol <i>Phosphotungstic acid- Enzymatic</i>	41	mg/dL	> 40
Non HDL Cholesterol * <i>Calculated</i>	124	mg/dL	<130
LDL Cholesterol * <i>Calculated</i>	103.8	mg/dL	<100
V.L.D.L Cholesterol * <i>Calculated</i>	20.2	mg/dL	< 30
Chol/HDL Ratio * <i>Calculated</i>	4.02	Ratio	3.5 - 5.0
HDL/ LDL Ratio * <i>Calculated</i>	0.39	Ratio	0.5 - 3.0
LDL/HDL Ratio * <i>Calculated</i>	2.53	Ratio	-

Interpretation:

Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. NCEP recommends of 3 different samples to be drawn at intervals of 1 week for harmonizing biological variables that might be encountered in single assays.

National Lipid Association Recommendations (NLA-2014)	Total Cholesterol (mg/dL)	Triglyceride (mg/dL)	LDL Cholesterol (mg/dL)	Non HDL Cholesterol (mg/dL)
Optimal	<200	<150	<100	<130
Above Optimal			100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220

HDL Cholesterol	
Low	High
<40	>=60

Risk Stratification for ASCVD (Atherosclerotic Cardiovascular Disease) by Lipid Association of India.

Risk Category	A. CAD with > 1 feature of high risk group
Extreme risk group	B. CAD with >1 feature of very high risk group of recurrent ACS (within 1 year) despite LDL-C <or = 50 mg/dl or poly vascular disease
Very High Risk	1.Established ASCVD 2.Diabetes with 2 major risk factors of evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
	1. Three major ASCVD risk factors 2. Diabetes with 1 major risk factor or no evidence

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	 NABL M(EL)T-00456
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:03 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : ZC533608	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Serum		

Test Description	Value(s)	Unit(s)	Reference Range
High Risk	of end organ damage 3. CHD stage 3B or 4. 4 LDL >190 mg/dl 5. Extreme of a single risk factor 6. Coronary Artery Calcium - CAC > 300 AU 7. Lipoprotein a >= 50 mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors			
1. Age >=45 years in Males & >= 55 years in Females	3. Current Cigarette smoking or tobacco use		
2. Family history of premature ASCVD	4. High blood pressure		
5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by Lipid Association of India in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal <OR = 30)	<80 (Optional goal <OR = 60)	>OR = 50	>OR = 80
Extreme Risk Group Category B	>OR = 30	>OR = 60	> 30	> 60
Very High Risk	<50	<80	>OR = 50	>OR = 80
High Risk	<70	<100	>OR = 70	>OR = 100
Moderate Risk	<100	<130	>OR = 100	>OR = 130
Low Risk	<100	<130	>OR = 130*	>OR = 160

* After an adequate non-pharmacological intervention for at least 3 months.

References : Management of Dyslipidaemia for the Prevention of Stroke : Clinical practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology,2022,20,134-155.

(*). Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
 MBBS, MD (Pathology)
 Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr Mr.Dummy	Sample Collected	: Apr 26, 2024, 01:00 PM
DOB/Age/Gender	: 23 Y/Male	Report Date	: Apr 27, 2024, 07:02 PM
Patient ID / UHID	: 8053238/RCL7247928	Barcode No	: ZC533608
Referred By	: Dr. Dr. X	Report Status	: Final Report
Sample Type	: Serum		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Thyroid Profile Total

Triiodothyronine (T3) <i>ECLIA</i>	105.1	ng/dL	80 -200
Total Thyroxine (T4) <i>ECLIA</i>	10.22	g/dL	5.1 - 14.1
Thyroid Stimulating Hormone (Ultrasensitive) <i>Chemiluminescence Immuno Assay (CLIA)</i>	1.38	µIU/mL	0.4 - 4.2

Interpretation:

Pregnancy	Reference ranges TSH
1 st Trimester	0.1 - 2.5
2 ed Trimester	0.2 - 3.0
3 rd Trimester	0.3 - 3.0

Primary malfunction of the thyroid gland may result in excessive (hyper) or below normal (hypo) release of T3 or T4. In addition as TSH directly affects thyroid function, malfunction of the pituitary or the hypo - thalamus influences the thyroid gland activity. Disease in any portion of the thyroid-pituitary-hypothalamic system may influence the levels of T3 and T4 in the blood. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels may be low. In addition, in the Euthyroid Sick Syndrome, multiple alterations in serum thyroid function test findings have been recognized in patients with a wide variety of non-thyroidal illnesses (NTI) without evidence of preexisting thyroid or hypothalamic-pituitary diseases. Thyroid Binding Globulin (TBG) concentrations remain relatively constant in healthy individuals. However, pregnancy, excess estrogen's, androgen's, antibiotic steroids and glucocorticoids are known to alter TBG levels and may cause false thyroid values for Total T3 and T4 tests.

TSH	T4	T3	INTERPRETATION
High	Normal	Normal	Mild (subclinical) hypothyroidism
High	Low	Low or normal	Hypothyroidism
Low	Normal	Normal	Mild (subclinical) hyperthyroidism
Low	High or normal	High or normal	Hyperthyroidism
Low	Low or normal	Low or normal	Nonthyroidal illness; pituitary (secondary) hypothyroidism
Normal	High	High	Thyroid hormone resistance syndrome (a mutation in the thyroid hormone receptor decreases thyroid hormone function)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr Mr.Dummy		
DOB/Age/Gender	: 23 Y/Male	Sample Collected	: Apr 26, 2024, 01:00 PM
Patient ID / UHID	: 8053238/RCL7247928	Report Date	: Apr 27, 2024, 07:02 PM
Referred By	: Dr. Dr. X	Barcode No	: ZC533608
Sample Type	: Serum	Report Status	: Final Report
Test Description	Value(s)	Unit(s)	Reference Range

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
 MBBS, MD (Pathology)
 Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr Mr.Dummy	Sample Collected : Apr 26, 2024, 01:00 PM	
DOB/Age/Gender : 23 Y/Male	Report Date : Apr 27, 2024, 07:04 PM	
Patient ID / UHID : 8053238/RCL7247928	Barcode No : YA570268	
Referred By : Dr. Dr. X	Report Status : Final Report	
Sample Type : Spot Urine		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Urine Routine and Microscopic Examination

Physical Examination			
Volume *	20	ml	-
Colour *	Pale yellow	-	Pale yellow
Transparency *	Clear	-	Clear
Deposit *	Absent	-	Absent
Chemical Examination			
Reaction (pH) <i>Double Indicator</i>	6.0	-	4.5 - 8.0
Specific Gravity <i>Ion Exchange</i>	1.010	-	1.010 - 1.030
Urine Glucose (sugar) <i>Oxidase / Peroxidase</i>	Negative	-	Negative
Urine Protein (Albumin) <i>Acid / Base Colour Exchange</i>	Negative	-	Negative
Urine Ketones (Acetone) <i>Legals Test</i>	Negative	-	Negative
Blood <i>Peroxidase Hemoglobin</i>	Negative	-	Negative
Leucocyte esterase <i>Enzymatic Reaction</i>	Negative	-	Negative
Bilirubin Urine <i>Coupling Reaction</i>	Negative	-	Negative
Nitrite <i>Griless Test</i>	Negative	-	Negative
Urobilinogen <i>Ehrlichs Test</i>	Normal	-	Normal
Microscopic Examination			
Pus Cells (WBCs) *	2-4	/hpf	0 - 5
Epithelial Cells *	1-2	/hpf	0 - 4
Red blood Cells *	Absent	/hpf	Absent
Crystals *	Absent	-	Absent
Cast *	Absent	-	Absent
Yeast Cells *	Absent	-	Absent
Amorphous deposits *	Absent	-	Absent
Bacteria *	Absent	-	Absent
Protozoa *	Absent	-	Absent

*** End Of Report ***

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. Ankita Girdhar
MBBS, MD (Pathology)
Consultant Pathologist



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., 4B2 Basement & Ground Floor, Tilak Nagar, New Delhi-110018.

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

Disclaimer: Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.

Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.

Name	Patient ID	Gender	Age
Mr Mr.Dummy	8053238	M	23

Health Advisory

● Normal (N)
 ● Low (L)
 ● Borderline (BL)
 ● High (H)




Liver Profile

One of the main functions of your liver is to make proteins that are secreted in your blood. It also makes enzymes which convert food into energy, and processes old muscles and cells. When your liver is damaged, enzymes leak into your blood and appear in the blood test

Gamma Glutamyl Transferase (GGT): 56.2 U/L

● HIGH



Common reasons for abnormal results :



It can be a sign of bile duct obstruction or alcohol use disorder or liver disorder.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.

