

smart Health Report

An Insightful Health Analytics Report
for Easier Understanding



Prepared For

Mr MR.DUMMY

M 23


Name
Mr MR.DUMMY

Patient ID
8053366

Gender
M

Age
23

Health Summary



LIPID PROFILE

Everything looks good



THYROID PROFILE

Everything looks good



ANEMIA STUDIES

Everything looks good



VITAMIN PROFILE

Everything looks good



MINERAL PROFILE

Everything looks good



Patient Name : Mr MR.DUMMY	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : May 25, 2024, 06:42 PM.
Patient ID / UHID : 8053366/RCL7248085	Barcode No : HY589066
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Whole blood EDTA	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Fitness Package Comprehensive- Male

Complete Blood Count (CBC)

RBC Parameters			
Hemoglobin <i>colorimetric</i>	13.8	g/dL	13.0 - 17.0
RBC Count <i>Electrical impedance</i>	5.4	10 ⁶ /μl	4.5 - 5.5
PCV <i>Calculated</i>	42.1	%	40 - 50
MCV <i>Calculated</i>	78.4	fl	83 - 101
MCH <i>Calculated</i>	25.6	pg	27 - 32
MCHC <i>Calculated</i>	32.7	g/dL	31.5 - 34.5
RDW (CV) <i>Calculated</i>	13.7	%	11.6 - 14.0
RDW-SD <i>Calculated</i>	34.8	fl	35.1 - 43.9
WBC Parameters			
TLC <i>Electrical impedance and microscopy</i>	12.2	10 ³ /μl	4 - 10
Differential Leucocyte Count			
Neutrophils <i>Laser based Flow-cytometry</i>	70	%	40-80
Lymphocytes <i>Laser based Flow-cytometry</i>	20	%	20-40
Monocytes <i>Laser based Flow-cytometry</i>	8	%	2-10
Eosinophils <i>Laser based Flow-cytometry</i>	2	%	1-6
Basophils <i>Laser based Flow-cytometry</i>	0	%	<2
Absolute Leukocyte Counts			
Neutrophils. <i>Calculated</i>	8.54	10 ³ /μl	2 - 7
Lymphocytes. <i>Calculated</i>	2.44	10 ³ /μl	1 - 3
Monocytes. <i>Calculated</i>	0.98	10 ³ /μl	0.2 - 1.0
Eosinophils. <i>Calculated</i>	0.24	10 ³ /μl	0.02 - 0.5
Basophils.	0	10 ³ /μl	0.02 - 0.5



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr MR.DUMMY		
DOB/Age/Gender	: 23 Y/Male	Sample Collected	: Apr 26, 2024, 01:00 PM
Patient ID / UHID	: 8053366/RCL7248085	Report Date	: May 25, 2024, 06:42 PM.
Referred By	: Dr. Dr. X	Barcode No	: HY589066
Sample Type	: Whole blood EDTA	Report Status	: Final Report
Test Description	Value(s)	Unit(s)	Reference Range
<i>Calculated</i>			
Platelet Parameters			
Platelet Count <i>Electrical impedance and microscopy</i>	217	10 ³ /μl	150 - 410
Mean Platelet Volume (MPV) <i>Calculated</i>	9.9	fL	9.3 - 12.1
PCT <i>Calculated</i>	0.2	%	0.17 - 0.32
PDW <i>Calculated</i>	17.3	fL	8.3 - 25.0
P-LCR <i>Calculated</i>	34.5	%	18 - 50
P-LCC <i>Calculated</i>	75	%	44 - 140
Mentzer Index <i>Calculated</i>	14.52	%	> 13
Interpretation: CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.			



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr MR.DUMMY		
DOB/Age/Gender	: 23 Y/Male	Sample Collected	: Apr 26, 2024, 01:00 PM
Patient ID / UHID	: 8053366/RCL7248085	Report Date	: May 08, 2024, 12:50 PM.
Referred By	: Dr. Dr. X	Barcode No	: ZC671600
Sample Type	: Serum	Report Status	: Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Calcium

Calcium Serum <i>Arsenazo III</i>	10.0	mg/dL	8.4 - 10.2
--------------------------------------	------	-------	------------

Interpretation:

Elevated calcium value are associated with hyperparathyroidism, multiple myeloma, neoplasms of bone and parathyroid & conditions of rapid demineralization, tetany & occasionally with nephrosis & pancreatitis. Severe nephritis & uremia may cause either elevated or lowered calcium values. Decreased values of calcium are noted in hypoparathyroidism, vitamin D deficiency, renal insufficiency, hypoproteinemia, malabsorption syndrome, severe pancreatitis with pancreatic necrosis and pseudo-hypoparathyroidism.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr MR.DUMMY		
DOB/Age/Gender	: 23 Y/Male	Sample Collected	: Apr 26, 2024, 01:00 PM
Patient ID / UHID	: 8053366/RCL7248085	Report Date	: May 08, 2024, 11:52 AM.
Referred By	: Dr. Dr. X	Barcode No	: ZC671600
Sample Type	: Serum	Report Status	: Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Iron Studies

Iron <i>FerroZine</i>	67.0	µg/dL	33 - 193
TIBC,(Total Iron Binding Capacity) <i>Calculated</i>	265	µg/dL	228 - 428
UIBC <i>FerroZine</i>	198.0	µg/dL	125 - 345
Transferrin Saturation <i>Calculated</i>	25.28	%	16 - 45

Interpretation:

Increased levels due to iron ingestion or ineffective erythropoiesis. Decreased levels due to infection, inflammation, malignancy, menstruation and Fe deficiency. Needs to be taken into consideration with TIBC. Transferrin Saturation:- Low level Transferrin Saturation can indicate iron deficiency, erythropoiesis, infection, or inflammation. High level Transferrin Saturation can indicate recent ingestion of dietary iron, ineffective erythropoiesis, haemochromatosis or liver disease. High TIBC, UIBC, or transferrin usually indicates iron deficiency, but they are also increased in pregnancy and with the use of oral contraceptives. Low TIBC, UIBC, or transferrin may occur if someone has: Hemochromatosis, Certain types of anemia due to accumulated iron, Malnutrition, kidney disease that causes a loss of protein in urine.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : May 08, 2024, 12:34 PM.
Patient ID / UHID : 8053366/RCL7248085	Barcode No : ZC671600
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Serum	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

High Sensitivity C-Reactive Protein (Hs-CRP)

HIGHLY SENSITIVE C-REACTIVE PROTEIN (hs-CRP) <i>Particle enhanced immunoturbidimetric assay.</i>	1.3	mg/L	Low < 1.00 mg/L Average 1.0-3.0 mg/L High > 3.0 mg/L
---	-----	------	--

Interpretation:
Note:- To assess vascular risk, it is recommended to test hsCRP levels 2 or more weeks apart and calculate the average

Comments
 High sensitivity C Reactive Protein (hsCRP) significantly improves cardiovascular risk assessment as it is a strongest predictor of future coronary events. It reveals the risk of future Myocardial infarction and Stroke among healthy men and women, independent of traditional risk factors. It identifies patients at risk of first Myocardial infarction even with low to moderate lipid levels. The risk of recurrent cardiovascular events also correlates well with hsCRP levels. It is a powerful independent risk determinant in the prediction of incident Diabetes.

Ferritin

Ferritin <i>CMA</i>	34.0	ng/mL	21.81 - 274.66
------------------------	------	-------	----------------

Interpretation:
Note:
 Increase in serum ferritin due to inflammatory conditions (Acute phase response) can mask a diagnostically low result

Comments
 Serum ferritin appears to be in equilibrium with tissue ferritin and is a good indicator of storage iron in normal subjects and in most disorders. In patients with some hepatocellular diseases, malignancies and inflammatory diseases, serum ferritin is a disproportionately high estimate of storage iron because serum ferritin is an acute phase reactant. In such disorders iron deficiency anemia may exist with a normal serum ferritin concentration. In the presence of inflammation, persons with low serum ferritin are likely to respond to iron therapy.

Increased Levels
 1. Iron overload - Hemochromatosis, Thalassemia & Sideroblastic anemia
 2. Malignant conditions - Acute myeloblastic & Lymphoblastic leukemia, Hodgkin's disease & Breast carcinoma
 3. Inflammatory diseases - Pulmonary infections, Osteomyelitis, Chronic UTI, Rheumatoid arthritis, SLE, burns · Acute & Chronic hepatocellular disease

Decreased Levels
 Iron deficiency anemia

FT3 (Free Triiodothyronine 3)

T3, Free <i>CMA</i>	3.12	pg/mL	1.58 - 3.91
------------------------	------	-------	-------------

FT4 (Free Thyroxine 4)

T4, Free <i>CMA</i>	1.10	ng/dL	0.7 - 1.48
------------------------	------	-------	------------



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
 Processing Lab :-

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY		Sample Collected : Apr 26, 2024, 01:00 PM	
DOB/Age/Gender : 23 Y/Male		Report Date : May 08, 2024, 12:34 PM.	
Patient ID / UHID : 8053366/RCL7248085		Barcode No : ZC671600	
Referred By : Dr. Dr. X		Report Status : Final Report	
Sample Type : Serum			

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

TSH 3rd Generation

Thyroid Stimulating Hormone (Ultrasensitive) CMIA	3.21	µIU/mL	0.35 - 4.94
--	------	--------	-------------

Interpretation:

Pregnancy	Reference ranges TSH
1 st Trimester	0.1 - 2.5
2 ed Trimester	0.2 - 3.0
3 rd Trimester	0.3 - 3.0

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.

Primary malfunction of the thyroid gland may result in excessive (hyper) or below normal (hypo) release of T3 or T4. In addition as TSH directly affects thyroid function, malfunction of the pituitary or the hypo - thalamus influences the thyroid gland activity. Disease in any portion of the thyroid-pituitary-hypothal- mus system may influence the levels of T3 and T4 in the blood. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels may be low. In addition, in the Euthyroid Sick Syndrome, multiple alterations in serum thyroid function test findings have been recognized in patients with a wide variety of non-thyroidal illnesses (NTI) without evidence of preexisting thyroid or hypothalami c-pituitary diseases.

Thyroid Binding Globulin (TBG) concentrations remain relatively constant in healthy individuals. However, pregnancy, excess estrogen, androgen, antibiotics, steroids and glucocorticoids are known to alter TBG levels and may cause false thyroid values for Total T3 and T4 tests.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : May 08, 2024, 12:34 PM.
Patient ID / UHID : 8053366/RCL7248085	Barcode No : ZC671600
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Serum	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Testosterone Total

Testosterone Total CMIA	435.0	ng/dL	Males(21-49 years) 240.24 - 870.68 Males (>=50 years) 220.91 - 715.81
----------------------------	-------	-------	--

Interpretation:

Reference values for Males (7-18 years) characterized by Tanner Stage

Tanner Stage	5-95th percentiles (ng/dL)
1	< 2.5
2	< 2.5 - 432
3	64.9 - 778
4	180 - 763
5	188 - 882

Reference values for females (8-18 years) characterized by Tanner Stage

Tanner Stage	5-95th percentiles (ng/dL)
1	<2.5 - 6.1
2	<2.5 - 10.4
3	<2.5 - 23.7
4	<2.5 - 26.8
5	4.6 - 38.3

Note

- All applications that require measurement of very low level of testosterone (eg hypogonadal men, children, virilization or intersex disorders in women etc) recommended test is Testosterone total, Ultrasensitive
- LC-MS/MS is the gold standard for steroid hormone assays due to increased sensitivity & specificity as compared to immunoassays

Clinical Use

Assessment of testicular function in males

Increased levels

- Precocious puberty (Males)
- Androgen resistance
- Testotoxicosis
- Congenital Adrenal Hyperplasia

Decreased levels

- Delayed puberty (Males)
- Gonadotropin deficiency
- Testicular defects
- Systemic diseases

Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr MR.DUMMY		
DOB/Age/Gender	: 23 Y/Male	Sample Collected	: Apr 26, 2024, 01:00 PM
Patient ID / UHID	: 8053366/RCL7248085	Report Date	: May 08, 2024, 12:34 PM.
Referred By	: Dr. Dr. X	Barcode No	: ZC671600
Sample Type	: Serum	Report Status	: Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Creatine Phosphokinase (CPK)

Creatine Kinase-CPK <i>NAC (N-acetyl-L-cysteine)</i>	80.0	U/L	30 - 200
---	------	-----	----------

Interpretation:

High CPK levels may be seen in patients who have Brain injury or stroke, Convulsions, Delirium tremens, Dermatomyositis or polymyositis, Electric shock, Heart attack, Inflammation of the heart muscle (myocarditis), Lung tissue death (pulmonary infarction), Muscular dystrophies, Myopathy.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name	: Mr MR.DUMMY	Sample Collected	: Apr 26, 2024, 01:00 PM
DOB/Age/Gender	: 23 Y/Male	Report Date	: May 08, 2024, 12:36 PM.
Patient ID / UHID	: 8053366/RCL7248085	Barcode No	: ZC671600
Referred By	: Dr. Dr. X	Report Status	: Final Report
Sample Type	: Serum		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Immunoglobulin E (IgE Total)

IMMUNOGLOBULIN IgE TOTAL SERUM <i>ECLIA</i>	98.0	IU/mL	<100.0
--	------	-------	--------

Interpretation:

The level of serum IgE rises during childhood and reaches adult levels during the teens. IgE is the mediator of the allergic response. Patients with atopic disease, including allergic asthma, allergic rhinitis, and atopic dermatitis commonly have moderately elevated serum IgE levels. Total serum IgE levels may also be elevated in the presence of some clinical conditions that are not related to allergy. These clinical conditions include parasitic infections, immunodeficiency states, autoimmune diseases, Hodgkins disease, bronchopulmonary aspergillosis, IgE myeloma, and Sezary syndrome.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : May 08, 2024, 12:50 PM.
Patient ID / UHID : 8053366/RCL7248085	Barcode No : ZC671600
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Serum	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Lipoprotein (A)

Lipoprotein A (Lipo A) <i>Turbidimetric</i>	11.4	mg/dL	up to 30
--	------	-------	----------

Interpretation:
Note:
 Lp(a) is considered an important risk factor for CHD especially among Indians as Indians tend to have high prevalence of elevated levels of Lp(a)

Lp(a) in mg/dL	REMARKS
(As per Lipid Association of India 2016)	
<30	Low risk
30-49	Moderate Risk
>= 50	High risk

Comments:
 Lipoprotein (a) [Lp(a)] consists of an LDL particle that is covalently bound to an additional protein, apolipoprotein (a) [Apo(a)]. Apo(a) has high-sequence homology with the coagulation factor plasminogen and, like LDL, Lp(a) contains apolipoprotein B100 (ApoB). Thus, Lp(a) is both proatherogenic and prothrombotic. Lp(a) is an independent risk factor for Coronary Heart Disease (CHD), Ischemic Stroke, and Aortic Valve Stenosis. Lp(a) is highly heterogenous molecule; the degree of atherogenicity of the Lp(a) particle may depend on the molecular size of the Lp(a)-specific protein. Serum concentrations of Lp(a) are related to genetic factors, and are largely unaffected by diet, exercise and lipid -lowering pharmaceuticals. However, in a patient with additional modifiable CHD risk factors, more aggressive therapy to normalize these factors may be indicated if the Lp(a) value is also increased.

Usage
 Evaluation of increased risk for cardiovascular disease and events:
 1. In individuals at intermediate risk for cardiovascular disease
 2. In patients with early atherosclerosis or
 3. In patients with strong family history of early CHD

Apolipoproteins A1 & B

Apolipoprotein A-1 (APO-A) <i>Tina-quant</i>	193.0	mg/dL	104 - 202
Apolipoprotein B (APO-B) <i>Tina-quant</i>	103	mg/dL	66 - 144
Apo B / Apo A1 Ratio <i>Calculated</i>	0.53		0.35 - 0.98



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
 Processing Lab :-

Patient Name : Mr MR.DUMMY	Sample Collected : Apr 26, 2024, 01:00 PM
DOB/Age/Gender : 23 Y/Male	Report Date : May 08, 2024, 12:50 PM.
Patient ID / UHID : 8053366/RCL7248085	Barcode No : ZC671600
Referred By : Dr. Dr. X	Report Status : Final Report
Sample Type : Serum	

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Vitamin D (25 Hydroxy)

Vitamin D 25 - Hydroxy CMIA	65.0	ng/mL	Deficient <20 Insufficient 21 - 29 Sufficient 30 - 100
--------------------------------	------	-------	--

Interpretation:
25-Hydroxy vitamin D represents the main body reservoir and transport form. Mild to moderate deficiency is associated with Osteoporosis / Secondary Hyperparathyroidism while severe deficiency causes Rickets in children and Osteomalacia in adults. Prevalence of Vitamin D deficiency is approximately >50% specially in the elderly. This assay is useful for diagnosis of vitamin D deficiency and Hypervitaminosis D. It is also used for differential diagnosis of causes of Rickets & Osteomalacia and for monitoring Vitamin D replacement therapy.

Vitamin B12

Vitamin - B12 CMIA	345.0	pg/mL	187 - 883
-----------------------	-------	-------	-----------

Interpretation:
Low Values are a sign of a vitamin B12 deficiency. People with this deficiency are likely to have or develop symptoms. Causes of vitamin B12 deficiency include:Not enough vitamin B12 in diet (rare except with a strict vegetarian diet), Diseases that cause malabsorption (for example, celiac disease and Crohn's disease), Lack of intrinsic factor, Above normal heat production (for example, with hyperthyroidism), Pregnancy. Increased vitamin B12 levels are uncommon. Usually excess vitamin B12 is removed in the urine. Conditions that can increase B12 levels include: Liver disease (such as cirrhosis or hepatitis), Myeloproliferative disorders (for example, polycythemia vera and chronic myelocytic leukemia).
Vitamin B12: Low Levels can cause malabsorption, Lack of intrinsic factor, Above normal heat production (for example, with hyperthyroidism), Pregnancy.High Level Liver disease, Myeloproliferative disorders (for example, polycythemia vera and chronic myelocytic leukemia).
1. Out of 140 healthy indian population, 91% of Vitamin B 12 concentrations was at lower level: 59.00 pg/ml and upper level: 700.00 pg/ml
"Patients on Biotin supplement may have interference in some immunoassays. Ref: Arch Pathol Lab Med—Vol 141, November 2017. With individuals taking high dose Biotin (more than 5 mg per day) supplements, at least 8-hour wait time before blood draw is recommended."

*** End Of Report ***

Disclaimer: Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.

Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.

Name	Patient ID	Gender	Age
Mr MR.DUMMY	8053366	M	23

Health Advisory

Normal (N) Low (L) Borderline (BL) High (H)



Fertility Profile

In general, fertility is the ability to produce children. However, the hormones involved in fertility are responsible for various other functions of the body as well. It is important to have healthy levels for overall wellbeing.

Testosterone Total: 435.0 ng/dL

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.