

smart Health Report

An Insightful Health Analytics Report
for Easier Understanding

Prepared For



 Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#) 

Your Health at a Glance – A Personalized Journey

Report Sections

- 1 Body Summary**
A visual snapshot of your overall health, simple and easy to understand
- 2 Quick Health Highlights**
Your health scores and a single view of all abnormal results for quick attention
- 3 Lab Report Overview**
Understand at a glance which tests are normal and which are abnormal
- 4 Personalized Health Advisory**
Actionable insights and expert guidance tailored just for you
- 5 Doctor's Reference Report**
Complete lab results with interpretations to share with your healthcare provider

How to Read This Report

This comprehensive health report provides detailed insights into your test results. Each section offers different perspectives on your health status, from visual summaries to detailed analysis and personalized recommendations.


Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)

● All In Range ● Borderline ● Out Of Range

Health Summary



Note: This section offers a quick snapshot of selected parameters. For all parameters and detailed analysis with clinical interpretation, please refer to the following pages

[View Report on App](#)

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)


Quick Health Summary

Personal Insights - Health Score

75

Overall, most parameters are within normal ranges, indicating a generally balanced health status. However, the Vitamin and Minerals profile may affect overall vitality, and autoimmune disorder, cancer, anemia, infection, and allergy profiles may benefit from ongoing medical guidance. Consider maintaining a diet rich in fruits, vegetables, and balanced meals, incorporating regular physical activities like walking or yoga, and scheduling routine check-ups to stay proactive about your health. Remember, small consistent changes can lead to meaningful improvements over time.

Note - Higher scores tentatively indicate better health status



Summary of Key Health Indicators

Total Parameters Tested	Borderline Results	Out Of Range Results
101	10	7

Health Status by Body System

Profile	Total	Borderline	Out of Range	Key Results
Cardiac Profile	10	4	4	<ul style="list-style-type: none"> HsCRP (9.9) Non - HDL Cholesterol (179) LDL Cholesterol (152.2)
Inflammation	2	0	1	<ul style="list-style-type: none"> CRP (10)
Blood Disorder	17	1	1	<ul style="list-style-type: none"> Abs. Basophil Count (0.01) MPV (8.1)
Vitamin Profile	2	0	1	<ul style="list-style-type: none"> Vitamin D (25-Hydroxy) (6.7)
Metabolic	1	0	0	All In Range
Cancer Profile	2	0	0	All In Range
Anemia Studies	8	0	0	All In Range
Infectious Diseases	6	0	0	All In Range
Diabetes Monitoring	4	1	0	<ul style="list-style-type: none"> HbA1c (Glycosylated Haemoglobin) (5.8)

Profile	Total	Borderline	Out of Range	Key Results
Liver Profile	15	2	0	<ul style="list-style-type: none"> ● Globulin (3.75) ● Albumin : Globulin ratio (1.05)
Kidney Profile	10	2	0	<ul style="list-style-type: none"> ● BUN : Creatinine ratio (10.48) ● Urea : Creatinine ratio (22.43)
Urinalysis	12	0	0	All In Range
Electrolytes	4	0	0	All In Range
Iron	4	0	0	All In Range
Thyroid Profile	3	0	0	All In Range
Allergy Panel	1	0	0	All In Range

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)

Report Summary

● In Range
 ● Borderline
 ● Out Of Range
 No color - Reference range not available

INFLAMMATION

Test Name	Result unit	Range
● CRP (Quantitative)	10 mg/L	< 6
● ESR - Erythrocyte Sedimentation Rate	10 mm/hr	< 14

CARDIAC PROFILE

Test Name	Result unit	Range
● HIGHLY SENSITIVE C-REACTIVE PROTEIN (hs-CRP)	9.9 mg/L	< 1
● Total Cholesterol	217 mg/dL	< 200
● Triglycerides	134 mg/dL	< 150
● HDL Cholesterol	38 mg/dL	40 - 80
● Non HDL Cholesterol	179 mg/dL	< 130
● LDL Cholesterol	152.2 mg/dL	30 - 100
● V.L.D.L Cholesterol	26.8 mg/dL	< 30
● Chol/HDL Ratio	5.71 Ratio	3.5 - 5
● HDL/ LDL Ratio	0.25 Ratio	0.5 - 3
● LDL/HDL Ratio	4.01 Ratio	2.5 - 3.5

METABOLIC

Test Name	Result unit	Range
● RHEUMATOID FACTOR, Quantitative	7.8 IU/mL	< 30

CANCER PROFILE

Test Name	Result unit	Range
● CA 19.9 ;PANCREATIC CANCER MARKER, SERUM	5.6 U/mL	< 37
● Prostate Specific Antigen-Total (PSA-Total)	1.2 ng/mL	< 4

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)

Report Summary

● In Range
 ● Borderline
 ● Out Of Range
 No color - Reference range not available

BLOOD DISORDER

Test Name	Result unit	Range
● Hemoglobin	15.1 g/dL	13 - 17
● TLC	8.9 $10^3/\mu\text{l}$	4 - 10
● Neutrophils	56 %	40 - 80
● Lymphocytes	32 %	20 - 40
● Monocytes	6.9 %	2 - 10
● Eosinophils	5 %	1 - 6
● Basophils	0.1 %	< 2
● Neutrophils.	4.98 $10^3/\mu\text{l}$	2 - 7
● Lymphocytes.	2.85 $10^3/\mu\text{l}$	1 - 3
● Monocytes.	0.61 $10^3/\mu\text{l}$	0.2 - 1
● Eosinophils.	0.45 $10^3/\mu\text{l}$	0.02 - 0.5
● Basophils.	0.01 $10^3/\mu\text{l}$	0.02 - 0.5
● Platelet Count	334 $10^3/\mu\text{l}$	150 - 410
● Mean Platelet Volume (MPV)	8.1 fL	9.3 - 12.1
● PDW	12.2 fL	8.3 - 25
● P-LCR	20.3 %	18 - 50
● P-LCC	68 % $10^9/L$	44 - 140

ANEMIA STUDIES

Test Name	Result unit	Range
● RBC Count	4.9 $10^6/\mu\text{l}$	4.5 - 5.5
● PCV	44.3 %	40 - 50
● MCV	89.7 fL	83 - 101
● MCH	30.5 pg	27 - 32
● MCHC	34 g/dL	31.5 - 34.5
● RDW (CV)	12.9 %	11.6 - 14
● RDW-SD	43.3 fL	35.1 - 43.9
Mentzer Index	18.31 %	

INFECTIOUS DISEASES

Test Name	Result unit	Range
● PCT	0.3 %	0.17 - 0.32
Deposit	Absent	
Leucocyte esterase	Negative	
Pus Cells (WBCs)	6-8 /hpf	
Yeast Cells	Absent	
Protozoa	Absent	

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)

Report Summary

● In Range
 ● Borderline
 ● Out Of Range
 No color - Reference range not available

DIABETES MONITORING

Test Name	Result unit	Range
● Glycosylated Hemoglobin (HbA1c)	5.8 %	< 5.7
Estimated Average Glucose	119.76 mg/dL	
● Glucose Fasting	94 mg/dL	70 - 100
Urine Glucose (sugar)	Negative	

LIVER PROFILE

Test Name	Result unit	Range
● Bilirubin Total	0.46 mg/dL	0.2 - 1.2
● Bilirubin Direct	0.1 mg/dL	< 0.5
● Bilirubin Indirect	0.36 mg/dL	0.2 - 0.7
● SGOT/AST	27 U/L	5 - 34
● SGPT/ALT	30 U/L	< 55
● SGOT/SGPT Ratio	0.9 %	< 0.99
● Alkaline Phosphatase	103 U/L	40 - 150
● Total Protein	7.7 g/dL	6.4 - 8.3
● Albumin	3.95 gm/dL	3.8 - 5
● Globulin	3.75 g/dL	2.3 - 3.5
● Albumin :Globulin Ratio	1.05	1.2 - 2
● Gamma Glutamyl Transferase (GGT)	19 U/L	12 - 64
● Calcium Serum	9 mg/dL	8.8 - 10
Bilirubin Urine	Negative	
Urobilinogen	Normal	

KIDNEY PROFILE

Test Name	Result unit	Range
● Blood Urea	24 mg/dL	17.97 - 54.99
● Bun	11.21 mg/dL	8.4 - 25.7
● Creatinine	1.07 mg/dL	0.72 - 1.25
eGFR (CKD-EPI)	75.57 mL/min/1.73 sq m	
● Bun/Creatinine Ratio	10.48	12 - 20
● Urea / Creatinine Ratio	22.43 mg/dL	25.68 - 42.8
Urine Protein (Albumin)	Negative	
Blood	Negative	
Crystals	Absent	
Cast	Absent	

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#)

Report Summary

● In Range

● Borderline

● Out Of Range

No color - Reference range not available

URINALYSIS

Test Name	Result unit	Range
● Uric Acid	4.9 mg/dL	3.5 - 7.2
Volume	20 ml	
Colour	Pale yellow	
Transparency	Clear	
● Reaction (pH)	5.0	4.5 - 8
● Specific Gravity	1.010	1 - 1.03
Urine Ketones (Acetone)	Negative	
Nitrite	Negative	
Epithelial Cells	2-4 /hpf	
Red blood Cells	Absent /hpf	
Amorphous deposits	Absent	
Bacteria	Absent	

ELECTROLYTE PROFILE

Test Name	Result unit	Range
● Phosphorus	3.2 mg/dL	2.3 - 4.7
● Sodium	140 mmol/L	136 - 145
● Potassium	5.0 mmol/L	3.5 - 5.1
● Chloride	104 mmol/L	98 - 107

IRON

Test Name	Result unit	Range
● Iron	98 ug/dL	65 - 175
● TIBC,(Total Iron Binding Capacity)	316 ug/dL	255 - 450
● UIBC	218 ug/dL	69 - 240
● Transferrin Saturation	31.01 %	20 - 50

VITAMIN PROFILE

Test Name	Result unit	Range
Vitamin - B12	< 148 pg/mL	
● Vitamin D 25 - Hydroxy	6.7 ng/mL	30 - 100

Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App !\[\]\(4cafc60cd39da821525d7c6589540296_img.jpg\)](#)

Report Summary ● In Range ● Borderline ● Out Of Range ● No color - Reference range not available

THYROID PROFILE

Test Name	Result unit	Range
● Triiodothyronine (T3)	76.7 ng/dL	35 - 193
● Total Thyroxine (T4)	7.2 µg/dL	4.87 - 11.72
● Thyroid Stimulating Hormone (Ultrasensitive)	1.5246 µIU/mL	0.35 - 4.94

ALLERGY PANEL

Test Name	Result unit	Range
IMMUNOGLOBULIN IgE TOTAL SERUM	< 15.7 IU/mL	

 Your Health Summary

Understand Your Health At A Glance
Your Personalized Health Summary is Now Available.

[View Detailed Summary on our App](#) 

Health Advisory

● In Range ● Borderline (BL) ● Out Of Range



Inflammation

Inflammation is the body's immune system's response to an injury, surgery, or irritation. This natural defense process acts by removing injurious stimuli and initiating the healing process. Inflammation can be chronic (such as arthritis) or acute (like in case of trauma).

CRP (Quantitative): 10 mg/L

● OUT OF RANGE



Cardiac Profile

Most people believe they are safe from heart diseases, but in reality, heart diseases are the leading cause of death in the world. There are many different forms of heart disease. Narrowing or blockage of the coronary arteries is the most common cause of heart disease, which are the vessels that supply blood to the heart. This is called coronary artery disease and it occurs slowly over time. It is the main cause of heart attacks.

HIGHLY SENSITIVE C-REACTIVE PROTEIN (hs-CRP): 9.9 mg/L

● OUT OF RANGE




Total Cholesterol: 217 mg/dL

● BORDERLINE




HDL Cholesterol: 38 mg/dL

● BORDERLINE



LDL Cholesterol: 152.2 mg/dL

● OUT OF RANGE






Diabetes

This panel is used to check how much glucose/sugar there is in your blood. Too much blood glucose might indicate diabetes.

Glycosylated Hemoglobin (HbA1c): 5.8%

● BORDERLINE




Vitamins Profile

Vitamins are considered essential nutrients because they perform hundreds of roles in your body. They help maintain bones, heal wounds, and strengthen your immune system. They also convert food into energy, and repair cellular damage

Vitamin - B12: < 148 pg/mL

Vitamin D 25 - Hydroxy: 6.7 ng/mL

● OUT OF RANGE



Allergy Panel

Allergy is an exaggerated response of the body's immune system to natural substances (Dust, Food, Pet dander, Mold) in the environment that does not bother most other people. That can result in a lot of symptoms such as sneezing, runny nose, itching, asthma, rashes, or swelling.

IMMUNOGLOBULIN IgE TOTAL SERUM: < 15.7 IU/mL

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO :		
Patient ID / UHID :		Sample Type : Whole blood EDTA		
Referred BY :		Report Date : Mar 04, 2026, 08:34 PM.		
Sample Collected :				

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Senior Citizen Full Body Check Up- Male (Comprehensive)

Complete Blood Count (CBC)

RBC Parameters			
Hemoglobin <i>Spectrophotometry (Cyanide Free)</i>	15.1	g/dL	13.0 - 17.0
RBC Count <i>Electrical impedance</i>	4.9	10 ⁶ /μl	4.5 - 5.5
PCV <i>Calculated</i>	44.3	%	40 - 50
MCV <i>Calculated</i>	89.7	fl	83 - 101
MCH <i>Calculated</i>	30.5	pg	27 - 32
MCHC <i>Calculated</i>	34	g/dL	31.5 - 34.5
RDW (CV) <i>Calculated</i>	12.9	%	11.6 - 14.0
RDW-SD <i>Calculated</i>	43.3	fl	35.1 - 43.9
WBC Parameters			
TLC <i>Electrical impedance</i>	8.9	10 ³ /μl	4 - 10
Differential Leucocyte Count			
Neutrophils <i>Semicouductor Laser Based Flow Cytometry</i>	56	%	40-80
Lymphocytes <i>Semicouductor Laser Based Flow Cytometry</i>	32	%	20-40
Monocytes <i>Semicouductor Laser Based Flow Cytometry</i>	6.9	%	2-10
Eosinophils <i>Semicouductor Laser Based Flow Cytometry</i>	5	%	1-6
Basophils <i>Semicouductor Laser Based Flow Cytometry</i>	0.1	%	<2
Absolute Leukocyte Counts <i>Calculated</i>			
Neutrophils. <i>Calculated</i>	4.98	10 ³ /μl	2 - 7
Lymphocytes. <i>Calculated</i>	2.85	10 ³ /μl	1 - 3
Monocytes. <i>Calculated</i>	0.61	10 ³ /μl	0.2 - 1.0
Eosinophils. <i>Calculated</i>	0.45	10 ³ /μl	0.02 - 0.5

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection



Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉️ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME		Report STATUS : Final Report	
DOB/Age/Gender		Barcode NO :	
Patient ID / UHID		Sample Type : Whole blood EDTA	
Referred BY		Report Date : Mar 04, 2026, 08:34 PM.	
Sample Collected			

Test Description	Value(s)	Unit(s)	Reference Range
Basophils. <i>Calculated</i>	0.01 L*	10 ³ /μl	0.02 - 0.5
Platelet Parameters			
Platelet Count <i>Electrical impedance</i>	334	10 ³ /μl	150 - 410
Mean Platelet Volume (MPV) <i>Electric Impedance</i>	8.1 L*	fL	9.3 - 12.1
PCT <i>Electric Impedance</i>	0.3	%	0.17 - 0.32
PDW <i>Calculated</i>	12.2	fL	8.3 - 25.0
P-LCR <i>Calculated</i>	20.3	%	18 - 50
P-LCC <i>Calculated</i>	68	%10 ⁹ /L	44 - 140
Mentzer Index <i>Calculated</i>	18.31	%	> 13

Interpretation:

CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.

Mentzer index- This anemia calculator is based on a simple calculation from two values: mean corpuscular volume, MCV (given in femtoliters — fl) and red blood cell count, RBC (in a million per mm³). The Mentzer index formula is the following: Mentzer index = MCV / RBC. If the result is <13, thalassemia is more probable. Otherwise, if the result is >13, then iron deficiency anemia is the most probable. If the index equals 13, the test results are inconclusive.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection


Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME	Report STATUS : Final Report		
DOB/Age/Gender	Barcode NO :		
Patient ID / UHID	Sample Type : Whole blood EDTA		
Referred BY	Report Date : Mar 04, 2026, 09:45 PM.		
Sample Collected			

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Erythrocyte Sedimentation Rate (ESR)

ESR - Erythrocyte Sedimentation Rate <i>MODIFIED WESTERGREN</i>	10	mm/hr	0 - 14
--	----	-------	--------

Interpretation:

ESR is also known as Erythrocyte Sedimentation Rate. An ESR test is used to assess inflammation in the body. Many conditions can cause an abnormal ESR, so an ESR test is typically used with other tests to diagnose and monitor different diseases. An elevated ESR may occur in inflammatory conditions including infection, rheumatoid arthritis, systemic vasculitis, anemia, multiple myeloma, etc. Low levels are typically seen in congestive heart failure, polycythemia, sickle cell anemia, hypo fibrinogenemia, etc.

Reference- Dacie and Lewis practical hematology



Dr. Shashi Kant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

 **898-898-0606**


 **care@redcliffelabs.com**

 **www.redcliffelabs.com**

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :
 DOB/Age/Gender :
 Patient ID / UHID :
 Referred BY :
 Sample Collected :

Report STATUS : Final Report
 Barcode NO :
 Sample Type : Whole blood EDTA
 Report Date : Mar 04, 2026, 09:09 PM.



Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

HbA1C (Glycosylated Haemoglobin)

Glycosylated Hemoglobin (HbA1c) <i>HPLC</i>	5.8 H*	%	<5.7
Estimated Average Glucose <i>Calculated</i>	119.76	mg/dL	Refer Table Below

Interpretation:

Interpretation For HbA1c% As per American Diabetes Association (ADA)

Reference Group	HbA1c in %
Non diabetic adults >=18 years	<5.7
At risk (Prediabetes)	5.7 - 6.4
Diagnosing Diabetes	>= 6.5
Therapeutic goals for glycemic control	Age > 19 years Goal of therapy: < 7.0 Age < 19 years Goal of therapy: <7.5

Note:

- Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.
- Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments :

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)	HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126	12	298
8	183	14	355
10	240	16	413

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

☎ 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO :		
Patient ID / UHID :		Sample Type : FLUORIDE F		
Referred BY :		Report Date : Mar 04, 2026, 09:11 PM.		
Sample Collected :				

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Glucose Fasting

Glucose Fasting <i>Hexokinase</i>	94	mg/dL	70 - 100
--------------------------------------	----	-------	----------

Interpretation:

Status	Fasting plasma glucose in mg/dL
Normal	70 - 100
Impaired fasting glucose	101 - 125
Diabetes	≥126

Reference : American Diabetes Association

Comment :

Blood glucose determinations are commonly used as an aid in the diagnosis and treatment of diabetes. Elevated glucose levels (hyperglycemia) may also occur with pancreatic neoplasm, hyperthyroidism, and adrenal cortical hyper function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy insulinoma, or various liver diseases.

Note

- 1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL or a random / 2 hour plasma glucose value of > or = 200 mg/dL with symptoms of diabetes mellitus.
- 2.Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection



Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME		Report STATUS : Final Report		
DOB/Age/Gender		Barcode NO :		
Patient ID / UHID		Sample Type : Serum		
Referred BY		Report Date : Mar 04, 2026, 09:10 PM.		
Sample Collected				
Test Description	Value(s)	Unit(s)	Reference Range	

Liver Function Test (LFT)

Bilirubin Total <i>Diazonium salt</i>	0.46	mg/dL	0.2 - 1.2
Bilirubin Direct <i>Diazo Reaction</i>	0.1	mg/dL	0.0 - 0.5 mg/dL
Bilirubin Indirect <i>Calculated</i>	0.36	mg/dL	0.2 - 0.7
SGOT/AST <i>Enzymatic [NADH (without P5P)]</i>	27	U/L	5 - 34 U/L
SGPT/ALT <i>Enzymatic [NADH (without P5P)]</i>	30	U/L	0 to 55 U/L
SGOT/SGPT Ratio <i>Calculated</i>	0.9	-	<1.00
Alkaline Phosphatase <i>Para-nitrophenyl-phosphate</i>	103	U/L	40 - 150 U/L
Total Protein <i>Photometric (Biuret)</i>	7.7	g/dL	6.4-8.3
Albumin <i>Colorimetric BCG</i>	3.95	gm/dL	3.8 - 5.0
Globulin <i>Calculation</i>	3.75 H*	g/dL	2.3 - 3.5 g/dL
Albumin :Globulin Ratio <i>Calculated</i>	1.05 L*	-	1.2 - 2.0
Gamma Glutamyl Transferase (GGT) <i>Photometric (L-Gamma glutamyl-3-Carboxy-4-Nitroani</i>	19	U/L	12 to 64 U/L

Interpretation:

The liver filters blood, metabolizes nutrients, detoxifies harmful substances, and produces blood clotting proteins. Liver cells contain enzymes that facilitate these functions. When cells are damaged, enzymes leak into the blood, detectable through blood tests.

Key enzymes tested:

- 1. AST (SGOT):** may indicate tissue injury / damage in muscles or liver.
- 2. ALT (SGPT):** Primarily in the liver. Elevated ALT and AST suggest liver damage.
- 3. Alkaline Phosphatase & GGT:** Linked to bile production and flow. Elevated levels may indicate bile flow issues related to the liver, gallbladder, or bile ducts.

Blood proteins, **albumin and globulin**, are essential for growth, development, and health.

- 1. Low protein:** May indicate bleeding, liver disorders, malnutrition, or agammaglobulinemia.
- 2. High protein (Hyperproteinemia):** Often due to dehydration or increased protein production.
- 3. Low albumin:** Caused by poor diet, kidney, or liver disease.
- 4. High albumin:** Usually due to severe dehydration.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

 **898-898-0606**

 **care@redcliffelabs.com**

 **www.redcliffelabs.com**

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO :		
Patient ID / UHID :		Sample Type : Serum		
Referred BY :		Report Date : Mar 04, 2026, 09:10 PM.		
Sample Collected :				

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Kidney Function Test (KFT)

Blood Urea <i>Ureas</i>	24	mg/dL	17.97-54.99
Bun <i>Calculated</i>	11.21	mg/dL	8.4-25.7
Creatinine <i>Kinetic alkaline picrate</i>	1.07	mg/dL	0.72 - 1.25 mg/dL
eGFR (CKD-EPI) *	75.57	ml/min/1.73 sq m	Normal Or High: >= 90 Mild Or Decrease: 60-89 Mild To Moderate Decrease: 45-59 Mild To Severe Decrease: 30-44 Severe Decrease: 15-29 Kidney Failure: < 15
Bun/Creatinine Ratio <i>Calculated</i>	10.48 L*		12 - 20
Urea / Creatinine Ratio * <i>Calculated</i>	22.43 L*	mg/dL	25.68 - 42.8
Uric Acid <i>Uricase</i>	4.9	mg/dL	3.5 - 7.2 mg/dL
Calcium Serum <i>Arsenazo III</i>	9	mg/dL	8.8 - 10.0
Phosphorus <i>Phosphomolybdate</i>	3.2	mg/dL	2.3 - 4.7
Sodium <i>Ion-Selective Electrode Diluted (Indirect)</i>	140	mmol/L	136 - 145
Potassium <i>Ion-Selective Electrode Diluted (Indirect)</i>	5.0	mmol/L	3.5 - 5.1
Chloride <i>Ion-Selective Electrode Diluted (Indirect)</i>	104	mmol/L	98 - 107

Interpretation:

Kidney function tests is a collective term for a variety of individual tests and procedures that can be done to evaluate how well the kidneys are functioning. Many conditions can affect the ability of the kidneys to carry out their vital functions. Some lead to a rapid (acute) decline in kidney function others lead to a gradual (chronic) decline in function. Both result in a buildup of toxic waste substances done on urine samples, as well as on blood samples. A number of symptoms may indicate a problem with your kidneys. These include : high blood pressure, blood in urine, frequent urges to urinate, difficulty beginning urination, painful urination, swelling in the hands and feet due to a buildup of fluids in the body. A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys are not working properly. Kidney function tests can help determine the reason. Ionized calcium this test if you have signs of kidney or parathyroid disease. The test may also be done to monitor progress and treatment of these diseases. **"eGFR test is applicable for patients aged 18 years or more."**

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME	Report STATUS : Final Report		
DOB/Age/Gender	Barcode NO :		
Patient ID / UHID	Sample Type : Serum		
Referred BY	Report Date : Mar 04, 2026, 09:10 PM.		
Sample Collected			

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Lipid Profile

Total Cholesterol <i>Enzymatic (Cholesterol Oxidase)</i>	217 H*	mg/dL	<200
Triglycerides <i>Photometric (Glycerol phosphate oxidase)</i>	134	mg/dL	<150
HDL Cholesterol <i>Accelerator Selective Detergent</i>	38 L*	mg/dL	40-60
Non HDL Cholesterol <i>Calculated</i>	179 H*	mg/dL	<130
LDL Cholesterol <i>Calculated</i>	152.2 H*	mg/dL	<100
V.L.D.L Cholesterol <i>Calculated</i>	26.8	mg/dL	< 30
Chol/HDL Ratio <i>Calculated</i>	5.71 H*	Ratio	3.5 - 5.0
HDL/ LDL Ratio <i>Calculated</i>	0.25 L*	Ratio	0.5 - 3.0
LDL/HDL Ratio <i>Calculated</i>	4.01 H*	Ratio	2.5 - 3.5

Interpretation:

Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. NCEP recommends of 3 different samples to be drawn at intervals of 1 week for harmonizing biological variables that might be encountered in single assays.

National Lipid Association Recommendations (NLA-2014)	Total Cholesterol (mg/dL)	Triglyceride (mg/dL)	LDL Cholesterol (mg/dL)	Non HDL Cholesterol (mg/dL)
Optimal	<200	<150	<100	<130
Above Optimal			100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220

HDL Cholesterol	
Low	High
<40	>=60

Risk Stratification for ASCVD (Atherosclerotic Cardiovascular Disease) by Lipid Association of India.

Risk Category	A. CAD with > 1 feature of high risk group
Extreme risk group	B. CAD with >1 feature of very high risk group of recurrent ACS (within 1 year) despite LDL-C <or = 50 mg/dl or poly vascular disease
Very High Risk	1.Established ASCVD 2.Diabetes with 2 major risk factors of evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
	1. Three major ASCVD risk factors 2. Diabetes with 1 major risk factor or no evidence

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :	Report STATUS : Final Report
DOB/Age/Gender :	Barcode NO :
Patient ID / UHID :	Sample Type : Serum
Referred BY :	Report Date : Mar 04, 2026, 09:10 PM.
Sample Collected :	



Test Description	Value(s)	Unit(s)	Reference Range
High Risk	of end organ damage 3. CHD stage 3B or 4. 4 LDL >190 mg/dl 5. Extreme of a single risk factor 6. Coronary Artery Calcium - CAC > 300 AU 7. Lipoprotein a >= 50 mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors			
1. Age >=45 years in Males & >= 55 years in Females	3. Current Cigarette smoking or tobacco use		
2. Family history of premature ASCVD	4. High blood pressure		
5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by Lipid Association of India in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal <OR = 30)	<80 (Optional goal <OR = 60)	>OR = 50	>OR = 80
Extreme Risk Group Category B	>OR = 30	>OR = 60	> 30	> 60
Very High Risk	<50	<80	>OR = 50	>OR = 80
High Risk	<70	<100	>OR = 70	>OR = 100
Moderate Risk	<100	<130	>OR = 100	>OR = 130
Low Risk	<100	<130	>OR = 130*	>OR = 160

* After an adequate non-pharmacological intervention for at least 3 months.

References : Management of Dyslipidaemia for the Prevention of Stroke : Clinical practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology,2022,20,134-155.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



**Dr. ShashiKant D.
MD Pathologist**

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :
 DOB/Age/Gender :
 Patient ID / UHID :
 Referred BY :
 Sample Collected :

Report STATUS : Final Report

Barcode NO :

Sample Type : Serum

Report Date : Mar 04, 2026, 09:10 PM.



Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Iron Studies

Iron <i>Ferene</i>	98	ug/dL	65 - 175
TIBC,(Total Iron Binding Capacity) <i>Calculated</i>	316	µg/dL	255 - 450
UIBC <i>Ferene</i>	218	µg/dL	69 - 240
Transferrin Saturation <i>Calculated</i>	31.01	%	20 - 50

Interpretation:

Increased levels due to iron ingestion or ineffective erythropoiesis. Decreased levels due to infection, inflammation, malignancy, menstruation and Fe deficiency. Needs to be taken into consideration with TIBC. Transferrin Saturation:- Low level Transferrin Saturation can indicate iron deficiency, erythropoiesis, infection, or inflammation. High level Transferrin Saturation can indicate recent ingestion of dietary iron, ineffective erythropoiesis, haemochromatosis or liver disease. High TIBC, UIBC, or transferrin usually indicates iron deficiency, but they are also increased in pregnancy and with the use of oral contraceptives. Low TIBC, UIBC, or transferrin may occur if someone has: Hemochromatosis, Certain types of anemia due to accumulated iron, Malnutrition, kidney disease that causes a loss of protein in urine.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report	
DOB/Age/Gender :		Barcode NO :	
Patient ID / UHID :		Sample Type : Serum	
Referred BY :		Report Date : Mar 04, 2026, 09:10 PM.	
Sample Collected :			
Test Description	Value(s)	Unit(s)	Reference Range

C-Reactive Protein (CRP), Quantitative

CRP (Quantitative) <i>Immunoturbidimetry</i>	10 H*	mg/L	0 - 5
---	--------------	------	-------

Interpretation:

Increased CRP level:

1. A high or increasing amount of CRP in the blood suggests the presence of inflammation but will not identify its location or the cause.
2. Suspected bacterial infection—a high CRP level can provide indication that patient has an infection.
3. Chronic inflammatory disease—high levels of CRP suggest a flare-up if you have a chronic inflammatory disease or that treatment has not been effective.

If the CRP level is initially elevated and drops, it means that the inflammation or infection is subsiding and/or responding to treatment.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report
DOB/Age/Gender :		Barcode NO :
Patient ID / UHID :		Sample Type : Serum
Referred BY :		Report Date : Mar 04, 2026, 09:10 PM.
Sample Collected :		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

High Sensitivity C-Reactive Protein (Hs-CRP)

HIGHLY SENSITIVE C-REACTIVE PROTEIN (hs-CRP) <i>immunoturbidimetric</i>	9.9 H*	mg/L	< 1.00
--	---------------	------	--------

Interpretation:

Cardio CRP In mg/L	Cardiovascular Risk
<1	Low
1-3	Average
3-10	High
>10	Persistent elevation may represent Non cardiovascular inflammation

Note: To assess vascular risk, it is recommended to test hsCRP levels 2 or more weeks apart and calculate the average

Comments:

High sensitivity C Reactive Protein (hsCRP) significantly improves cardiovascular risk assessment as it is a strongest predictor of future coronary events. It reveals the risk of future Myocardial infarction and Stroke among healthy men and women, independent of traditional risk factors. It identifies patients at risk of first Myocardial infarction even with low to moderate lipid levels. The risk of recurrent cardiovascular events also correlates well with hsCRP levels. It is a powerful independent risk determinant in the prediction of incident Diabetes.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉️ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report
DOB/Age/Gender :		Barcode NO :
Patient ID / UHID :		Sample Type : Serum
Referred BY :		Report Date : Mar 04, 2026, 09:10 PM.
Sample Collected :		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Rheumatoid Factor (RF), Quantitative

RHEUMATOID FACTOR, Quantitative <i>Immunoturbidimetry</i>	7.8	IU/mL	Negative <30 Weakly positive 30 to 50 Positive >50
--	-----	-------	--

Interpretation:

Approximately 85% of patients with Rheumatoid arthritis have detectable RA. It may also be seen in other medical conditions like Sjogren's syndrome and SLE.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



**Dr. ShashiKant D.
MD Pathologist**

Booking Centre :- Home Collection



Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 **898-898-0606**

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME	Report STATUS : Final Report		
DOB/Age/Gender	Barcode NO :		
Patient ID / UHID	Sample Type : Serum		
Referred BY	Report Date : Mar 04, 2026, 09:21 PM.		
Sample Collected			
Test Description	Value(s)	Unit(s)	Reference Range

Vitamin B12 / Cyanocobalamin

Vitamin - B12 CMIA	< 148 L*	pg/mL	187 - 883
-----------------------	----------	-------	-----------

Interpretation:

Low Values are a sign of a vitamin B12 deficiency. People with this deficiency are likely to have or develop symptoms.

Causes of vitamin B12 deficiency include: Not enough vitamin B12 in diet (rare except with a strict vegetarian diet), Diseases that cause malabsorption (for example, celiac disease and Crohn's disease), Lack of intrinsic factor, Above normal heat production (for example, with hyperthyroidism), Pregnancy. Increased vitamin B12 levels are uncommon. Usually excess vitamin B12 is removed in the urine. Conditions that can increase B12 levels include: Liver disease (such as cirrhosis or hepatitis), Myeloproliferative disorders (for example, polycythemia vera and chronic myelocytic leukemia).

Vitamin B12: Low Levels can cause malabsorption, Lack of intrinsic factor, Above normal heat production (for example, with hyperthyroidism), Pregnancy. High Level Liver disease, Myeloproliferative disorders (for example, polycythemia vera and chronic myelocytic leukemia).

1. Out of 140 healthy indian population, 91% of Vitamin B 12 concentrations was at lower level: 59.00 pg/ml and upper level: 700.00 pg/ml

"Patients on Biotin supplement may have interference in some immunoassays. Ref: Arch Pathol Lab Med—Vol 141, November 2017. With individuals taking high dose Biotin (more than 5 mg per day) supplements, at least 8-hour wait time before blood draw is recommended."

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection



Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

 898-898-0606

 care@redcliffelabs.com

 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO :		
Patient ID / UHID :		Sample Type : Serum		
Referred BY :		Report Date : Mar 04, 2026, 09:21 PM.		
Sample Collected :				
Test Description	Value(s)	Unit(s)	Reference Range	

Vitamin D 25 Hydroxy

Vitamin D 25 - Hydroxy <i>CMIA</i>	6.7 L*	ng/mL	Deficiency : < 10 ng/mL Insufficient : 10-30 ng/mL Sufficient : >30-100 ng/mL Hypervitaminosis : > 100 ng/mL
---------------------------------------	---------------	-------	---

Interpretation:

25-Hydroxy vitamin D represents the main body reservoir and transport form. Mild to moderate deficiency is associated with Osteoporosis / Secondary Hyperparathyroidism while severe deficiency causes Rickets in children and Osteomalacia in adults. Prevalence of Vitamin D deficiency is approximately >50% specially in the elderly. This assay is useful for diagnosis of vitamin D deficiency and Hypervitaminosis D. It is also used for differential diagnosis of causes of Rickets & Osteomalacia and for monitoring Vitamin D replacement therapy.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

 **898-898-0606**

 **care@redcliffelabs.com**

 **www.redcliffelabs.com**

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME : _____	Report STATUS : Final Report		
DOB/Age/Gender : _____	Barcode NO : _____		
Patient ID / UHID : _____	Sample Type : Serum		
Referred BY : _____	Report Date : Mar 04, 2026, 09:21 PM.		
Sample Collected : _____			

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Thyroid Profile Total

Triiodothyronine (T3) CMIA	76.7	ng/dL	35 - 193 ng/dL
Total Thyroxine (T4) CMIA	7.2	µg/dL	4.87 - 11.72 ug/dL
Thyroid Stimulating Hormone (Ultrasensitive) CMIA	1.5246	µIU/mL	0.35 - 4.94

Interpretation:

Pregnancy	Reference Range TSH
1st Trimester	0.1 - 2.5
2nd Trimester	0.2 - 3.0
3rd Trimester	0.3 - 3.0

Clinical Use:

1. Diagnose Hypothyroidism & Hyperthyroidism
2. Monitor T4 therapy
3. Measure subnormal TSH levels

Increased TSH: Primary hypothyroidism, Subclinical hypothyroidism, TSH-dependent hyperthyroidism, Thyroid hormone resistance

Decreased TSH: Graves' disease, Autonomous thyroid hormone secretion, TSH deficiency

Thyroid malfunction (hyper or hypo) affects T3 & T4 levels. Pituitary or hypothalamic issues also influence thyroid activity.

1. **Primary Hypothyroidism:** High TSH levels.
2. **Secondary/Tertiary Hypothyroidism:** Low TSH levels.
3. **Euthyroid Sick Syndrome:** Abnormal thyroid test results due to non-thyroidal illnesses (NTI).

TBG levels are stable in healthy individuals but may be altered by pregnancy, estrogens, androgens, steroids, or glucocorticoids, causing inaccurate T3 & T4 readings.

TSH	T4	T3	Interpretation
High	Normal	Normal	Mild (subclinical) hypothyroidism
High	Low	Low Or Normal	Hypothyroidism
Low	Normal	Normal	Mild (subclinical) hyperthyroidism
Low	High Or Normal	High Or Normal	Hyperthyroidism
Low	Low Or Normal	Low Or Normal	Nonthyroidal illness; pituitary (secondary) hypothyroidism
Normal	High	High	Thyroid hormone resistance syndrome (a mutation in the thyroid hormone receptor decreases thyroid hormone function)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072


📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report
DOB/Age/Gender :		Barcode NO :
Patient ID / UHID :		Sample Type : Serum
Referred BY :		Report Date : Mar 04, 2026, 09:21 PM.
Sample Collected :		



Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Prostate Specific Antigen (PSA) Total

Prostate Specific Antigen-Total (PSA-Total) CMIA	1.2	ng/mL	0 - 4
---	-----	-------	-------

Interpretation:

Age (years)	Ranges
< 40	<1.4
40 - 49	<2.0
50 - 59	<3.1
60 - 69	<4.1
>=70	<4.4

Prostate Specific Antigen (PSA) is a single-chain glycoprotein normally found in the cytoplasm of the epithelial cells lining the acini and ducts of the prostate gland. PSA is detected in the serum of males with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis. PSA is not detected (or detected at very low levels) in the serum of males without prostate tissue (because of radical prostatectomy or cytoprostatectomy) or in the serum of most females. The fact that PSA is unique to prostate tissue makes it a suitable marker for monitoring men with cancer of the prostate. PSA is also useful for determining possible recurrence after therapy when used in conjunction with other diagnostic indices. PSA levels increase in men with cancer of the prostate. After radical prostatectomy PSA levels routinely fall to a very low level, which may not be seen in patients undergoing radiation therapy. Monitoring PSA levels appears to be useful in detecting residual disease and early recurrence of tumor. Therefore, serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine of chemotherapy and in the monitoring of the effectiveness of therapy. PSA levels should not be interpreted as absolute evidence of presence or the absence of malignant disease. Before treatment, patients with confirmed prostate carcinoma frequently have levels of PSA within the range observed in healthy individuals. Elevated levels of PSA can be observed in the patients with nonmalignant disease. Measurement of PSA should always be used in conjunction with other diagnostic procedures, including information from the patients and clinical evaluation. The concentration of total PSA in a given specimen determined with assays from different manufacturers can vary due to differences in assay methods, calibration, and reagent specificity.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection
 Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

Patient NAME :		Report STATUS : Final Report
DOB/Age/Gender :		Barcode NO :
Patient ID / UHID :		Sample Type : Serum
Referred BY :		Report Date : Mar 04, 2026, 09:21 PM.
Sample Collected :		

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

CA 19.9 (Pancreatic Cancer Marker)

CA 19.9 ;PANCREATIC CANCER MARKER, SERUM CMIA	5.6	U/mL	0-37.0 U/mL
--	-----	------	-------------

Interpretation:

- Note :**
1. This test is not recommended to screen Pancreatic cancer in the general population.
 2. False negative/positive results are observed in patients receiving mouse monoclonal antibodies for diagnosis or therapy
 3. This assay, regardless of level, should not be interpreted as absolute evidence for the presence or absence of malignant disease. The assay value should be used in conjunction with findings from clinical evaluation and other diagnostic procedures.
 4. Persistently elevated CA 19-9 levels are usually indicative of progressive malignant disease and poor therapeutic response

Clinical Use :

1. An aid in the management of Pancreatic cancer patients
2. Monitor the course of disease and predict recurrence in patients with Pancreatic carcinoma

DISEASE	PERCENTAGE POSITIVITY OF CA 19.9
Pancreatic cancer	80
Hepatobiliary cancer	67
Gastric cancer	40-50
Hepatocellular cancer	30-50
Colorectal cancer	30
Breast cancer	15
Pancreatitis	10-20
Benign Gastrointestinal diseases	10-20

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



**Dr. ShashiKant D.
MD Pathologist**

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO :		
Patient ID / UHID :		Sample Type : Serum		
Referred BY :		Report Date : Mar 04, 2026, 09:10 PM.		
Sample Collected :				

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Immunoglobulin E (IgE Total)

IMMUNOGLOBULIN IgE TOTAL SERUM <i>Immunoturbidimetric</i>	< 15.7 L*	IU/mL	28.0 - 140.0
--	---------------------	-------	--------------

Interpretation:

REFERANCE Ranges	Unit
Age group	IU/mL
Neonates	<1.5
Infants in 1st year of life	<15
Children aged 1-5 years	<60
Children aged 6-9 years	<90
Children aged 10-15 years	<200
Adults	<100

The level of serum IgE rises during childhood and reaches adult levels during the teens. IgE is the mediator of the allergic response. Patients with atopic disease, including allergic asthma, allergic rhinitis, and atopic dermatitis commonly have moderately elevated serum IgE levels. Total serum IgE levels may also be elevated in the presence of some clinical conditions that are not related to allergy. These clinical conditions include parasitic infections, immunodeficiency states, autoimmune diseases, Hodgkins disease, bronchopulmonary aspergillosis, IgE myeloma, and Sezary syndrome.

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

 **898-898-0606**

 **care@redcliffelabs.com**

 **www.redcliffelabs.com**

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report		
DOB/Age/Gender :		Barcode NO		
Patient ID / UHID :		Sample Type : Spot Urine		
Referred BY :		Report Date : Mar 04, 2026, 08:45 PM.		
Sample Collected :				

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Urine Routine and Microscopic Examination

Physical Examination			
Volume <i>Visual</i>	20	ml	-
Colour <i>Visual</i>	Pale yellow	-	Pale yellow
Transparency <i>Visual</i>	Clear	-	Clear
Deposit <i>Visual</i>	Absent	-	Absent
Chemical Examination			
Reaction (pH) <i>Double Indicator</i>	5.0	-	4.5 - 8.0
Specific Gravity <i>Ion Exchange</i>	1.010	-	1.000 - 1.030
Urine Glucose (sugar) <i>Oxidase / Peroxidase</i>	Negative	-	Negative
Urine Protein (Albumin) <i>Acid / Base Colour Exchange</i>	Negative	-	Negative
Urine Ketones (Acetone) <i>Legals Test</i>	Negative	-	Negative
Blood <i>Peroxidase Hemoglobin</i>	Negative	-	Negative
Leucocyte esterase <i>Leucocyte Esterase</i>	Negative	-	Negative
Bilirubin Urine <i>Coupling Reaction</i>	Negative	-	Negative
Nitrite <i>Griless Test</i>	Negative	-	Negative
Urobilinogen <i>Ehrlichs Test</i>	Normal	-	Normal
Microscopic Examination			
Pus Cells (WBCs) <i>Wet Mount</i>	6-8 H*	/hpf	0 - 5
Epithelial Cells <i>Wet Mount</i>	2-4	/hpf	0 - 4
Red blood Cells <i>Wet Mount</i>	Absent	/hpf	Absent
Crystals <i>Wet Mount</i>	Absent	-	Absent
Cast <i>Wet Mount</i>	Absent	-	Absent
Yeast Cells <i>Wet Mount</i>	Absent	-	Absent

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient NAME :		Report STATUS : Final Report
DOB/Age/Gender :		Barcode NO
Patient ID / UHID :		Sample Type : Spot Urine
Referred BY :		Report Date : Mar 04, 2026, 08:45 PM.
Sample Collected :		



Test Description	Value(s)	Unit(s)	Reference Range
Amorphous deposits <i>Wet Mount</i>	Absent	-	Absent
Bacteria <i>Wet Mount</i>	Absent	-	Absent
Protozoa <i>Wet Mount</i>	Absent	-	Absent

Interpretation:

URINALYSIS- Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders.

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of haemolytic anaemia.

*** End Of Report ***

Note :- (H* - High , L* - Low ,CL* - Critical Low,CH* - Critical High)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.



Dr. ShashiKant D.
MD Pathologist

Booking Centre :- Home Collection

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., Unit No. 1 TO 8, M- Wing, Tex Center CHS, Saki Vihar Road, Chandivali Andheri East, Mumbai-400072

📞 898-898-0606

✉ care@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

**Bio-Rad CDM System
VII Inst. #1. SN 15166**

**PATIENT REPORT
V2TURBO_A1c_2.0**

Patient Data

Sample ID:
Patient ID:
Name:
Physician:
Sex:
DOB:

Analysis Data


Analysis Performed:
Injection Number:
Run Number:
Rack ID:
Tube Number:
Report Generated:
Operator ID:

Comments:

Peak Name	NGSP %	Area %	Retention Time (min)	Peak Area
A1a	---	1.1	0.158	21805
A1b	---	1.5	0.222	29284
F	---	0.9	0.276	17623
LA1c	---	1.7	0.392	31646
A1c	5.8	---	0.486	93037
P3	---	3.8	0.772	71525
P4	---	1.5	0.850	27954
Ao	---	84.6	1.006	1611328

Total Area: 1,904,203

HbA1c (NGSP) = 5.8 %



About Redcliffe Labs

We are India's Most Trusted & Fastest Growing Network of Diagnostics Labs

Best Customer Experience



Commitment to excellence, high end technology oriented staff

100% Report Correctness



Focus on quality with accurate results

Best Prices With Fast Reports



Value for money with quick turn around time (TAT)


Your booking just gave back to nature –
with every health checkup, you're contributing by planting a tree!



Select from a wide range of
Full Body Health Check-up
packages that suits your health

Best Selling Package

Annual Health Checkup Advance Plus with Free HsCRP



Get free report consultation
& download our app

A Simple and easy way to track your health

- 3600 + Tests & Packages
- Presence in 220+ Cities
- 45 Min Express Sample Collection
- 100% Accurate Report Guarantee.



Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.