

Patient NAME :		Report STATUS :	
DOB/Age/Gender :		Barcode NO :	
Patient ID / UHID :		Sample Type :	
Referred BY :		Report Date :	
Sample Collected :			
Test Description	Value(s)	Unit(s)	Reference Range

HIV Antibody, Rapid Card

HIV 1 & 2 ANTIBODIES <i>Qualitative immunoassay, rapid card</i>	NON REACTIVE	-	NON REACTIVE
--	--------------	---	--------------

Interpretation:

RESULTS	REMARKS
Reactive	A reactive test results indicates antibody detected against HIV-1/2
Non reactive	A non reactive test results indicates antibody is not detected against HIV- 1/2.

NOTE :

1. This is only a screening test. All samples detected reactive must be confirmed by using HIV Western Blot. Therefore for a definitive diagnosis, the patient's clinical history, symptomatology as well as serological data, should be considered. The results should be reported only after complying with above procedure.

2. Some samples show cross reactivity fir HIV antibodies. Following factors are found to cause false positive HIV antibody test results: naturally occurring antibodies, Passive immunization, Leprosy, Renal Disorders, Tuberculosis, Myco-bacterium avium, Herpes simplex, Hypergammaglobulinemia, Malignant neoplasms, Rheumatoid ar thritis, Tetanus vaccination, Autoimmune diseases, Blood Transfusion, Multiple myeloma, Haemophilia, Heat treated specimens, Lipemic serum, Anti-nuclear antibodies, T-cell leukocyte antigen antibodies, Epstein Barr virus, HLA antibodies and other retroviruses.

3. False negative results may occur during the window period and during the end stage of the disease.

*** End Of Report ***

Note: This is a sample report for illustrative purpose only. Actual report may vary



Dr. Veerendra Kumar Tyagi
MBBS, MD (Pathology)
Consultant Pathologist

Booking Centre :-
Processing Lab :-

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.