

Patient NAME :		Report STATUS :			
DOB/Age/Gender :		Barcode NO :			
Patient ID / UHID :		Sample Type :			
Referred BY :		Report Date :			
Sample Collected :					
Test Description	Value(s)	Unit(s)	Reference Range		

**Uric Acid, 24 Hrs Urine**

Uric Acid, Urine by Uricase Colorimetric Method	21.8	mg/dL	
Urine volume in 24 hours	1000	ML	
Urinary Uric Acid level per day (Calculated)	<b>218</b>	mg/24 hrs	250-750

**Please correlate clinically.**

**Interpretation:**

1. Interpreting a 24-hour urine uric acid test involves assessing the amount of uric acid excreted in the urine over a full day, providing insight into uric acid metabolism and potential health conditions related to its balance in the body.
2. Low urine uric acid levels are uncommon but may indicate factors such as a low-purine diet or underlying liver conditions affecting uric acid production.
3. High urine uric acid levels often result from excessive dietary purines, conditions like gout, impaired kidney function affecting uric acid excretion, or certain medications.
4. Regular monitoring and consultation with healthcare providers are essential for effectively managing uric acid balance and preventing associated health complications.

\*\*\* End Of Report \*\*\*



Dr. Poulami Sarkar  
 MBBS,MD (Biochemistry)  
 Consultant Biochemist  
 NMC Certificate No. 24-005955

# Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

---

## DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.