

Patient Name : Mr MR.DUMMY

DOB/Age/Gender : 23 Y/Male

Patient ID / UHID : 8051957/RCL7248454

Referred By : Dr. X

Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM

Report Date : May 24, 2024, 06:00 PM.

Barcode No : SI484290

Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Viral Markers, Rapid Card**HIV Antibody, Rapid Card**

HIV 1 & 2 ANTIBODIES <i>Qualitative immunoassay,rapid card</i>	NON REACTIVE	-	NON REACTIVE
---	--------------	---	--------------

Interpretation:

RESULTS	REMARKS
Reactive	A reactive test results indicates antibody detected against HIV-1/2
Non reactive	A non reactive test results indicates antibody is not detected against HIV- 1/2.

NOTE :

1. This is only a screening test. All samples detected reactive must be confirmed by using HIV Western Blot. Therefore for a definitive diagnosis, the patient's clinical history, symptomatology as well as serological data, should be considered. The results should be reported only after complying with above procedure.

2. Some samples show cross reactivity fir HIV antibodies.Following factors are found to cause false positive HIV antibody test results: naturally occurring antibodies, Passive immunization, Leprosy, Renal Disorders, Tuberculosis, Myco-bacterium avium, Herpes simplex, Hypergammaglobulinemia, Malignant neoplasms, Rheumatoid ar thritis, Tetanus vaccination, Autoimmune diseases, Blood Transfusion, Multiple myeloma, Haemophilia, Heat treated specimens, Lipemic serum, Anti-nuclear antibodies, T-cell leukocyte antigen antibodies, Epstein Barr virus, HLA antibodies and other retroviruses.

3. False negative results may occur during the window period and during the end stage of the disease.

**Dr. Dummy**

Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

 928-909-0609 ccsupport@redcliffelabs.com www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY

DOB/Age/Gender : 23 Y/Male

Patient ID / UHID : 8051957/RCL7248454

Referred By : Dr. X

Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM

Report Date : May 24, 2024, 06:00 PM.

Barcode No : SI484290

Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Hepatitis C Antibody (HCV), Rapid Card

HEPATITIS C ANTIBODY (Anti-HCV) <i>Qualitative immunoassay,rapid card</i>	NON REACTIVE		NON REACTIVE
--	--------------	--	--------------

Interpretation:

RESULTS	REMARKS
Reactive	Reactive test result indicates presence of Hepatitis C virus infection
Non Reactive	Non Reactive test result indicates absence of Hepatitis C virus infection

NOTE

- 1.The **4TH Generation** HCV TRI-DOT detects anti-HCV in human serum or plasma and is **only a screening test**. All reactive samples should be confirmed by supplemental assays like RIBA .Therefore for a definitive diagnosis, the patient's clinical history ,symptomatology as well as serological data, should be considered. The results should be reported only after complying with above procedure.
- 2.A non reactive-results does not exclude the possibility of exposure to or infection with HCV.
- 3.Repeated false results may occur due to non-specefic binding of the sample to the membrane.
- 4.The presence of anti-HCV does not imply a HepatitisC infection but may be indicative of recent and /or past infection By HCV.
- 5.Patients with auto-immune liver diseases may show falsely reactive results.
6. False positive results may be observed in patients receiving mouse monoclonal antibodies, on heparin therapy, on biotin supplements for diagnosis or therapy or presence of heterophilic antibodies in serum.
5. False negative reaction may be due to processing of sample collected early in the course of disease, Prozone phenomenon, Immunosuppression & Immuno-incompetence.

Uses

- To diagnose suspected HCV infection in risk group.
- Prenatal Screening of pregnant women and pre surgical/interventional procedures work up.

**Dr. Dummy**

Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

 928-909-0609 ccsupport@redcliffelabs.com www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Patient Name : Mr MR.DUMMY

DOB/Age/Gender : 23 Y/Male

Patient ID / UHID : 8051957/RCL7248454

Referred By : Dr. X

Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM

Report Date : May 24, 2024, 06:00 PM.

Barcode No : SI484290

Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Hepatitis B Surface Antigen (HBsAg), Rapid Card

HEPATITIS B SURFACE ANTIGEN (HBsAg) <i>Qualitative immunoassay,rapid card</i>	NON REACTIVE		NON REACTIVE
--	--------------	--	--------------

Interpretation:

RESULTS	REMARKS
Reactive	The sample is Reactive for HBsAg
Non Reactive	The sample is Non Reactive for HBsAg

Note

1. **This is only a Screening test.** All reactive results should be confirmed by confirmatory test. Therefore for a definitive diagnosis, the patient's clinical history ,symptomatology as well as serological data, should be considered. The results should be reported only after complying with above procedure.
2. Additional follow up testing using available clinical methods (along with repeat HBsAg rapid card test) is required, if the test is Non reactive with persisting clinical symptoms
3. False positive results may be observed in patients receiving mouse monoclonal antibodies, on heparin therapy, on biotin supplements for diagnosis or therapy, presence of heterophilic antibodies in serum or after HBV vaccination for transient period of time.
4. False negative reaction may be due to processing of sample collected early in the course of disease or presence of mutant forms of HBsAg.

*** End Of Report ***

Disclaimer: Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.**Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.**Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.


Dr. Dummy

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.