

Patient Name : Mr MR.DUMMY
DOB/Age/Gender : 23 Y/Male
Patient ID / UHID : 8052221/RCL7248756
Referred By : Dr. X
Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM
Report Date : May 24, 2024, 07:02 PM.
Barcode No : SI484474
Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Anti Cardiolipin IgA Antibodies

Cardiolipin Antibody ACL-IgA (Serum,EIA)	0.23	Index	Negative: < 0.9 Equivocal: 0.9-1.1 Positive: > 1.1
---	------	-------	--

Interpretation:

The systemic autoimmune disorder which causes recurrent vascular thrombosis and pregnancy losses is Anti-phospholipid syndrome (APS). The pathogenesis of APS is production of auto antibodies to phospholipid protein. Anti-phospholipid syndrome is detected either by a positive Anti-Cardiolipin antibody (aCL) or lupus anticoagulant test. APS may be either primary or secondary; when APS is present in patients without any underlying clinical illness it is primary. Secondary APS occurs in patients with systemic lupus erythematosus (SLE) or any other underlying autoimmune disease. The symptoms are observed by disturbing balance between procoagulant and anticoagulant factors and disruption of the clotting mechanism by the antiphospholipid antibodies (APLA) leading to leg ulcers, toe gangrene, myocardial infarction, purpura, stroke, recurrent miscarriage or preterm births. The autoantibodies are present in 50% of patients with SLE and 1-5% of the general population. The antiphospholipid antibodies are found in serum in 1% of healthy persons and 3% of older age group. Though APS can involve in any age group, the target group is young to middle aged adults.

*** End Of Report ***

Disclaimer: Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.
Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.



Dr. Dummy



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.