

Patient Name : Mr MR.DUMMY
DOB/Age/Gender : 23 Y/Male
Patient ID / UHID : 8052346/RCL7248837
Referred By : Dr. X
Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM
Report Date : May 25, 2024, 02:39 PM.
Barcode No : SI485250
Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Hepatitis A (HAV) IgM Antibody

HEPATITIS A ANTIBODY (ANTI HAV), IgM (CMIA)	0.44	S/CO	<0.80
---	------	------	-------

Interpretation:

RESULT S/CO	Remark	INTERPRETATION
<0.80	Non-Reactive	Indicates absence of IgM antibodies to Hepatitis A virus
0.80 to 1.20	Equivocal	Equivocal result requires repeat testing in 10-14 days.
> 1.20	Reactive	Indicates presence of IgM antibodies to Hepatitis A virus

Note

1. This assay is used for qualitative detection of IgM antibodies to Hepatitis A virus in serum samples.
2. Its presence in serum indicates ongoing or recent infection and is the most useful serological marker for diagnosing acute HAV infection.
3. False positive results may be observed in patients receiving mouse monoclonal antibodies, on heparin therapy, on biotin supplements for diagnosis or therapy & presence of heterophilic antibodies in serum.
4. False negative reaction may be due to processing of sample collected early in the course of disease, immunosuppression / immunosuppressant cases.
5. Test conducted on serum.

Uses

- To aid in differentiation of acute from chronic hepatitis A infection.
- To diagnose acute infection.

*** End Of Report ***

Disclaimer: Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.

Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.



Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI
Processing Lab :-

📞 928-909-0609

✉️ ccsupport@redcliffelabs.com

🌐 www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.


Dr. Dummy

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.