

Patient Name : Mr MR.DUMMY

DOB/Age/Gender : 23 Y/Male

Patient ID / UHID : 8052374/RCL7248844

Referred By : Dr. X

Sample Type : Serum

Sample Collected : Apr 26, 2024, 01:00 PM

Report Date : May 24, 2024, 06:03 PM.

Barcode No : SI484297

Report Status : Final Report

| Test Description | Value(s) | Unit(s) | Reference Range |
|------------------|----------|---------|-----------------|
|------------------|----------|---------|-----------------|

**HIV Early Screen**

|                                             |      |      |                                       |
|---------------------------------------------|------|------|---------------------------------------|
| HIV I & II Quantitative & P24 COMBO<br>CMIA | 0.01 | S/CO | <1.00 :Nonreactive<br>>1.00 :Reactive |
|---------------------------------------------|------|------|---------------------------------------|

**Interpretation:****Interpretation of Results**

The cutoff is 1.00 S/CO.

| S/CO   | Reference Ranges |
|--------|------------------|
| < 1.00 | Nonreactive      |
| ≥ 1.00 | Reactive         |

**Final Interpretation**

| Initial Interpretation | Results with Retes                       | Final Interpretation                                                                              |
|------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------|
| Nonreactive            | No retest required                       | Nonreactive. HIV p24 Ag and/or HIV-1/HIV-2 Ab not detected.                                       |
| Reactive               | If both retest results are < 1.00        | Nonreactive. HIV p24 Ag and/or HIV-1/HIV-2 Ab not detected                                        |
|                        | If one or both retest results are ≥ 1.00 | Reactive. Presumptive evidence of HIV p24 Ag and/or HIV-1/ HIV-2 Ab; perform a supplemental assay |

1. Non-Reactive result implies that no Anti HIV-I OR HIV-II Antibodies have been detected in the sample by this method. This means that either the patient has not exposed to HIV-I or HIV-II infection or the sample has been tested during the "WINDOW PHASE"(before the development of detectable levels of antibodies). Hence negative result does not exclude the possibility of exposure to or infection with HIV-I/HIV-II.
2. Immunoassay for the in vitro qualitative determination of HIV-1 p24 antigen and antibodies to HIV-1, including group O, and HIV-2 in human serum
3. It is a screening test and reactive samples need to confirmed by alternate method like western blot or PCR

\*\*\* End Of Report \*\*\*

**Disclaimer:** Method given in report are only indicative and can be changed depending upon type of machine and kit available at time of testing.  
Not all tests at all locations are under NABL scope. Availability of tests under NABL scope varies from lab to lab.

**Dr. Dummy**

Booking Centre :- DEMO PARTNER CHENNAI, DEMO PARTNER CHENNAI  
Processing Lab :-

 928-909-0609 ccsupport@redcliffelabs.com www.redcliffelabs.com

All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

# Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

---

## DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.