

Patient Name :  
 DOB/Age/Gender : Bill Date :  
 Patient ID / UHID : Sample Collected :  
 Referred By : Sample Received :  
 Sample Type : Report Date :  
 Barcode No : Report Status :

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

**BIOCHEMISTRY REPORT**

Uric Acid

URIC ACID **8.2** mg/dL 3.5 - 7.2  
 Method : Uricase

**Interpretation:**

Serum uric acid levels are very labile and show day to day and seasonal variation in some people. Levels are also increased by emotional stress, total fasting and increased body weight. Serum uric acid levels are used to diagnose and monitor treatment of gout, monitor chemotherapeutic treatment of neoplasms to avoid renal urate deposition with possible renal failure.



Dr. Reena Banerjee  
 MBBS, MD (Pathology)  
 Consultant Pathologist

☎ **928-909-0609**

✉ **ccsupport@redcliffelabs.com**

🌐 **www.redcliffelabs.com**

Redcliffe Labs Pvt. Ltd. (Unit of Redcliffe Diagnostics, USA) 5800 Diagnostics Shop No 2, Commercial Complex, Nehru Nagar, Post, Bilgi, Chhattisgarh-490021

All Lab results are subject to clinical interpretation by qualified medical professionals, and this report is only for diagnostic purpose. Processed by Redcliffe Diagnostics Pvt. Ltd. Chhattisgarh-490021

# Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

---

## DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.