

Patient Name :
 DOB/Age/Gender : Bill Date :
 Patient ID / UHID : Sample Collected :
 Referred By : Sample Received :
 Sample Type : Report Date :
 Barcode No : Report Status :

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

BIOCHEMISTRY REPORT

PSA Profile

PROSTATE SPECIFIC ANTIGEN-TOTAL (PSA-TOTAL) Method : ECLIA	1.1	ng/mL	
Prostate Specific Antigen, Free Method : ECLIA	0.219	ng/mL	0.26 - 4.14
%Free PSA ratio	19.91	%	

Interpretation:

Age Group (Years)	Probability of Malignancy		
	50-59	60-69	≥ 70
% fPSA ratio			
≤ 10	49.20%	57.50%	64.50%
11-18	26.90%	33.90%	40.80%
19-25	18.30%	23.90%	29.70%
> 25	9.10%	12.20%	15.80%

Note

- Free PSA values regardless of levels should not be interpreted as absolute evidence for the presence or absence of disease. All values should be correlated with clinical findings and results of other investigations
- False negative / positive results are observed in patients receiving mouse monoclonal antibodies for diagnosis or therapy
- Free PSA levels may appear consistently elevated / depressed due to the interference by heterophilic antibodies & nonspecific protein binding
- Immediate Free PSA testing following digital rectal examination, ejaculation, prostatic massage, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels
- Hormone therapy affects Free PSA expression

Clinical Use

- An aid in the early detection of Prostate cancer in males 50 years or older with Total PSA values between 4.0 and 10.0 ng/mL and nonsuspicious digital rectal examination.
- An aid in discriminating between Prostate cancer and Benign Prostatic disease. Free PSA level is not used alone, but is mostly useful when expressed in a ratio with Total PSA. Hence PSA profile (Total + Free PSA) is the recommended test. Patients with benign conditions have a higher proportion of Free PSA compared with Prostate cancer



Booking Centre :- SHIVAM DIAGNOSTIC, Guwahati
 Processing Lab :- Redcliffe Lifetech Pvt. Ltd., H-55, Sector-63, Noida, Uttar Pradesh - 201301

Sohini Sengupta

Dr. Sohini Sengupta
 MD (Cl Biochemistry), DNB,
 FNB (Lab Medicine)
 Medical Laboratory Director
 HOD (Biochemistry & Special Assays)

Terms and Conditions of Reporting

1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
4. This report shall not be deemed valid or admissible for any medico-legal purposes.
5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

DISCLAIMER

This is a sample report provided for demonstration purposes only and does not represent an actual patient report. Test results, reference ranges, methodologies, instrumentation, and report formats may vary depending on the laboratory performing the test. The format and representation shown are indicative of reports generated by the National Reference Laboratory of Redcliffe Labs, Noida. This sample report should not be used for medical interpretation, diagnosis, or treatment decisions.